MODECOM

no.2/2009
www.modecom.eu

PORTABLE POWER

an answer to how to recharge your devices

New items in offer!

MAKE YOUR DATA SAFE ON OUR PENDRIVES

5" GPS!

Size really matters!

LOUDER NICER BETTER

MODECOM speakers

LET'S TALK ABOUT BEING STYLISH

Try out MODECOM mice!

FEEL THE POWER!

safe & strong power supplies

MAKE YOUR PC LOOK BETTER!

new midi tower computer cases

Portable Power	3
MP3/MP4 Players	4-5
GPS	6
Pendrives	7-8
Mass Storage	9
Web Cams	10
Headphones	11
Multimedia Speaker Systems	12-15
Network Solutions	16-17
Computer Cases	18-26
Cases Accessories	27
Card Readers	28-30
Power Supplies	31-33
Mice	34-41
Keyboards	42-45
Laptop Bags	46-61
Printing Supplies	62-67

PORTABLE power

With MODECOM PORTABLE POWER, you do not have to remember to take all the chargers to your portable devices with you. Now you do not have to worry that your battery runs out when you are on the bus, in a plane or on a walk with your dog. You can power up your mp3 or mobile phone instantly, without plug it in to the power socket. Charged MODECOM PORTABLE POWER stores power for you anytime, anywhere you need it.
It is a credit card size.

New!

PORTABLE POWER

- Capacity 1500mAh, LI- Ion Polymer
- Output: 1A(Max)
- Output: USB 5V/0.5A
- Charging time: 3.5~4 hours
- Dimensions: 87(L) x 58(W) X 8.3(D) mm
- Net weight: 50g
- Operating temparature: 0~40°C (32~104°F)
- Protective functions:
  - overcurrent
  - overdischarge
  - over charge
  - short circuit protection

mp3/mp4 players

MODECOM Zio is a mobile multimedia player of outstanding sound quality. Conventional push button keyboard was replaced by a touch control panel. Attractively designed, Zio is a small device just 5.6mm thick.

LUXIO

- Touch Light Buttons
- 1,8" full Color Display
- Audio format supported: MP3, WMA
- Support AVI (MPEG4)video
- FM Tuner
- Digital voice recording
- Text&Picture Viewer
- Graphic Equalizer
- USB 2.0 High Speed
- Dimension: 42×87×7,8mm
- Weight: 30g
- S/N Ratio: 90dB
- Earphone Output: 10mW×2

ZIO

- 5,6 mm Ultra Slim
- Touch Light Buttons
- 1,5" Color OLED Display
- Audio format supported: MP3, WMA
- Video format supported: AVI (MJPEG)
- Clock with alarm function
- FM Tuner
- Digital voice & Timer recording
- Text & Picture Viewer
- 8 modes Equalizer
- Dimension: 41×72×5.6mm
- S/N Ratio: 90dB
- Earphone Output: 10mW×2
- Weight: 20

NAVO 1

- Decoding format: MP3, WMV, JPG
- Video playback
- 2.0" 262K color TFT display
- Support 3D surround effect
- Support MicroSD/T-Flash Memory Card
- Stereo Earphone
- FM tuner with FM recording function
- Build-in 7 EQ modes
- Digital voice recording
- USB 2.0 High Speed
- 82(L)×45(W)×11,5(D)mm

NEVIO 2

- Decoding format: MP3, WMV, JPG
- Video playback
- 2.0" 262K color TFT display
- Support 3D surround effect
- Support MicroSD/T-Flash Memory Card
- Stereo Earphone
- FM tuner with FM recording function
- Build-in 7 EQ modes
- Digital voice recording
- USB 2.0 High Speed
- 82,5(L)×44(W)×11,5(D)mm

MAXO 3

- Video format supported: DIVX, WMV, AVI
- Audio format supported: MP3, WMA, WAV, AAC, OGG
- 2.4" QVGA 262K color TFT display
- Support MicroSD/T-Flash Memory Card
- Support FM Tuner and FM Recording
- Build-in speakers
- Build-in 5 EQ modes
- Digital Voice Recording
- Support E-Book

MODECOM FreeWAY MX is a new model from astonishing FreeWAY series. With big 5.0 inch display, it is more convenient while driving a car or making the journey safer. FreeWAY MX is one of the most advanced devices in the market. The 30 GPS channels, allow the customer to obtains excellent positioning accuracy.

personal navigation device

New!

See GPS carry case p. 56-57.

FREEWAY MX

- CPU: SiRF Atlas-III, dual-core
- Memory flash: 128MB SLC NAND flash
- Memory RAM: 64MB DRAM
- Display: 5” TFT LCD, Aspect Ratio 16:9, Resolution 480×272 pixels
- GPS Receiver: SiRF 3i+
- Antenna: Built-in
- FM Transmitter: Built-in
- Bluetooth: v2.0 + EDR, Hands-free
- AV-IN: Yes
- Multimedia: Video avi, mp4, wmv, mkv, asf, mpg, mpeg; Audio mp3, wav, wma, ogg; Text txt, xml; Photo bmp, jpg, gif, png, tif
- Microsoft Windows® CE .Net 5.0 Core version

pendrives

This is quite a recent product group in or offer but is already given the highest rank. Every single model is unique due to design, shape, patterns or jewelry style. We do our best to keep the highest standard according to speed transfer performance.

POCKETREADER

- Read speed: 19,5 MB/s
- Write speed: 6,5 MB/s
- Capacieties available: 2, 4, 8 GB
- Computer: IBM PC, Compatible Desktop/ Notebook or Mac with USB port
- Operating System: Windows 98/98SE/Me/2000/XP/Server 2003/Vista, Mac OS 9.x/ Mac OS X, Linux2.4.x or above
- Power Supply: USB powered (4.5V ~ 5.5V)
- LED Indication: LED On: MemoDrive connected and enabled
- Dimension (L × W × H): 43.50 x 20 x 10.80 mm
- Weight of the device: 6g (approximately)
- Accessories: lanyard (with MODECOM logo)

MEMODRIVE PRESTIGE

- Operating System: Windows 98/ 98SE/ Me/ 2000/ XP/ Server 2003/ Vista, Mac OS 9.x/ Mac OS X, Linux2.4.x or higher
- Write speed: up to 8MB/s
- Read speed: up to 15MB/s
- USAFE - protects data from accidental loss or USB connection problem
- Power supply: USB (4.5V ~ 5.5V)
- LED indication:
- LED is lighten up: MemoDrive is connected and works.
- LED flashes: Data transfer
- Write protection: Data protection switch protects write or delete.
- Available capacity: 2GB, 4GB, 8GB
- Net weight: 13,5g
- Dimensions (L x W x H): 52.7mm x 13.5mm x 5.5mm

flash cards

This is the newest group in MODECOM offer. A wide list of memory cards consist of SD, SDHC, Micro SD and Micro SDHC with various capacity 2-8 GB. Due to advanced production process we can offer the highest quality products at competitive prices.

MEMODRIVE SPINNER X2

- Capacities available: 2, 4, 8 GB
- Read speed: upto 23MB/sec
- Write speed: upto 8,4MB/sec
- Computer: IBM PC, Compatible Desktop/ Notebook or Mac with USB port
- Operating System: Windows Me/2000/XP/Server 2003/ Vista, Mac OS 9.x/ Mac OS X, Linux2.4.x or above
- Power Supply: USB powered (4.5V ~ 5.5V)
- Dimension (L x W x H): 29 x 12 x 6 mm
- Weight of the device: 6g (approximately)

MEMODRIVE COSMO

- Write speed: upto 8MB/sec, Read speed: upto 15MB/sec
- U-SAFE technology
- Write protection switch
- Operating Temperature: -10°C ~ +55°C
- Storage Temperature: -40°C ~ +70°C
- Dimension (L x W x H): 67.4 x 17.6 x 8mm
- Weight: 12g (approximately)

MEMODRIVE SPEEDY

- Capacity: 2, 4, 8, 16 GB
- U-SAFE technology
- HDD, ZIP Booting
- Password protection
- High Speed USB 2.0
- Write protection switch
- Windows Vista ReadyBoost

MEMOCARD microSD

- Capacities: 2GB, 4GB, 8GB
- Operating voltage: (2.7V ~ 3.6V)
- Operating temperature: 0°C ~ +60°C
- Storage temperatures: -20°C ~ +85°C
- Dimensions: 11mm x 15mm x 1mm
- Weight: 1g
- SD Adapter included

MEMOCARD SD

- Capacities: 2GB, 4GB, 8GB
- Operating voltage: (2.7V ~ 3.6V)
- Operating temperature: 0°C ~ +60°C
- Storage temperatures: -20°C ~ +85°C
- Dimensions: 24mm x 32mm x 2.1mm
- Weight: 2g
- A built-in switch protects against accidental data erasure

MEMODRIVE SPINNER X1

- Capacities available: 2, 4, 8 GB
- Read speed: upto 22MB/sec
- Write speed: upto 8,2MB/sec
- Computer: IBM PC, Compatible Desktop/ Notebook or Mac with USB port
- Operating System: Windows Me/2000/ XP/Server 2003/Vista, Mac OS 9.x/ Mac OS X, Linux2.4.x or above
- Power Supply: USB powered (4.5V ~ 5.5V)
- Dimension (L x W x H): 30 x 14 x 6 mm
- Weight of the device: 6g (approximately)

web cams

Our webcams are suitable for ordinary as well as for advanced users. We do our best to offer unique products. Face tracking, mirror, LED lights, small size, exceptional technical parameters and flexible mounting system are the strongest points for our customers.

VENUS

New!

- Sensor Type: 1/4" CMOS,
- Native Resolution: 1600X1200 pixels,
- Video Capture: Up to 1600X1200 pixels,
- Still Image Capture: True 1600X1200 pixels,
- Frame Rate: Up to 30fps @ 640X480 pixels; Up to 15 fps @ 1600X1200 pixels,
- Image Format: RGB24,
- Focal Length: 30mm~infinity,
- Brightness: Auto, 4 LED's,
- Exposed Control: Auto,
- USB Protocol: USB 2.0,
- Power: DC 5.2V,
- Product Size: 68(L)X 65(W)X 54(H)mm (Body only)
- Webcam driverless, plug & play, can be operated directly under windows XP Sp2 / Windows Vista

New!

YOYO

- Sensor Type: 1/4" CMOS,
- Native Resolution: 640 X 480 pixels,
- Video Capture: Up to up to 5,0 M pixels,
- Still Image Capture: True up to 7.6M pixels,
- Frame Rate: Up to 30fps @ 640X480 pixels;
- Image Format: RGB24,
- Focal Length: 30mm~infinity,
- Brightness: Auto, Exposed Control: Auto,
- USB Protocol: USB 2.0, Power: DC 5.2V,
- Product Size: 55(L)X 55(W)X 15(H)mm (Body only),
- Extra CD driver for video and frame effects,
- Supports: Win XPSP2 /Vista above, MAC 10.4.8 above

headphones

Our headphones are designed for those who value comfort and expect the best quality of sound. High quality materials, perfect sound, volume controllers and microphone are the main advantages of MODECOM headphones.

1 MC-825 SAPPHIRE

Headphones:
- neodymium driver units 40mm
- Frequency Response: 20 - 20,000 Hz
  - Sensitivity: 108dB±3dB
  - Impedance: 32 ohm±15%.

Microphone:
- Frequency response: 30-16KHz
- Directivity: omnidirectional, 6* 5mm
- Sensitivity: -58dB±3dB
- Impedance: 2200 ohm±15%
- Cord length: 2.0m
- Input plug: 3.5mm audio and mic

2 MC-815 CONNECTION

Headphones:
- neodymium driver units 40mm
- Frequency Response: 20 - 20,000 Hz
- Sensitivity: 113dB±3dB
- Impedance: 32 ohm±15%.

Microphone:
- Frequency response: 100-10KHz
- Directivity: omnidirectional, 6* 2,7mm
- Sensitivity: -58dB±3dB
- Impedance: 2200 ohm±15%
- Cord length: 2.5m
- Input plug: 3.5mm audio and mic

3 MC-820 TUCK

- Speaker Unit: 40 mm
- Impedance: 50 Ω ± 15%
- Sensitivity: 97dB ± 3dB
- Rated input power: 50mW
- Frequency Response: 20 - 22,000 Hz
- Cord Length: 2,0 m ± 30 m
- Input Plug: 3.5mm gold-plated

4 MC-710 X-CELLENCE

- Speaker Unit: 40 mm speaker with Neodynium magnet
- Impedance: 32 Ω
- Sensitivity: 116dB ± 3dB (at 1KHz 1mw)
- Rated input power: 50mW
- Maximum input power: 100mW
- Frequency Response: 20 - 22,000 Hz,
- Earpad: high-quality velvet earpad, Input Plug: 3.5mm plug (green)
- Cord length:1.8 meter

multimedia speaker systems

All of our multimedia speakers sets are built according to the newest technologies and production standards. Magnificent acoustics, wooden speaker boxes, high power satellite speakers, deep low frequency sounds, precise and reliable make, high functionality, highest quality membranes and cables, magnetic shielding, great sound parameters… these are the qualities that describe MODECOM speaker sets. Our offer consists of 5.1, 2.1 and 2.0 sets. It is diversified by size of the speakers as well as by price, outlook and other features. Therefore, it is possible for any user to find model suitable for his needs.

New!

MC-2009

- USB design for Notebook or PC
Full range 1.5" driver unites deliver clear and rich sound
- RMS 2 x 2W
- Frequency range:100~20kHz
- Dimensions: 70mm (Height) x 53mm (Width) x 50mm (Depth)

MC-2007

- Output Power: 4W×2 (RMS)
- Dimensions (W×D×H):62×64×62mm
- Frequency Response: 90Hz~20KHz
- S/N: >92dBA
- Separation: Speaker: 2"×2
- Portable Travelling Bag

New!

MC-S1

- Output Power (RMS):
Subwoofer: 5W,
Satellite: 2.5W x 2
- Frequency Response:
Subwoofer: 30 Hz – 180 Hz
Satellites: 180 Hz – 20 kHz
- Dimension (W x H x D):
Subwoofer: 130 x 215 x 180mm
Satellite: 91 x 144 x 76 mm

MC-2008

- Output Power:4W×2 (RMS)
- Frequency Response: 90Hz~20KHz
- S/N: >92dBA
- Separation: >55dB
- Speaker: 2"×2
- Dimensions (w×d×h): Speaker:
65×82×100mm
Portable Travelling Bag: 248×160×84mm

New!

MC-2140

- Output Power (RMS): Subwoofer: 6W, Satellite: 3W×2;
- Frequency Response: Subwoofer 35 Hz – 140 Hz, Satellites 140 Hz – 20 KHz;
- Dimension (WxDxH):
Subwoofer: 150 x 215 x 210 mm,
Satellite: 85 x 75 x 165 mm;
- S/N ratio: >= 75dB;
- Channel Separation: >= 40dB;
- Power Supply: AC 220V-240V/50Hz

X-BASS

MC-2150

New!

- Output Power (RMS):
Subwoofer: 24W, Satellite: 15W×2;
- Frequency Response:
Subwoofer 30Hz-140Hz,
Satellite 140 Hz - 20 kHz;
- Dimension (W×D×H):
Amplifer: 210 x 77 x 200 mm,
Subwoofer: 280 x 240 x 255mm,
Satellite: 93 x 100 x 132 mm;
- S/N ratio: >= 70dB
- Channel Separation: >= 40dB;
- Magnetically shielded;
- Power Supply: AC 220V-240V/50hZ

6.5" SUBWOOFER

MDF SUBWOOFER

MAGNETICALLY SHIELDED

New!

MC-2180

- Output Power (RMS):
Subwoofer: 16W, Satellite: 12W×2;
Frequency Response: Subwoofer 35 Hz – 140 Hz, Satellites 140 Hz – 20 KHz;
Dimension (WxDxH): Subwoofer:
156 x 270 x 189 mm, Satellite
:90 x 90.5 x 175.5 mm;
S/N ratio: >= 75dB;
Channel Separation: >= 45dB;
Power Supply: AC 220V-240V/50Hz

X-BASS

MC-2110

- Output Power (RMS): Subwoofer: 24W, Satellite: 16W×2
- Frequency Response: 35Hz-20KHz
- Dimension (WxDxH): Subwoofer: 205×275×250mm, Satellite: 110.5×132.5×195mm
- S/N ratio: >= 80dB
- Speaker Unit: Subwoofer: 5.25" 8 Ohm 40W
- Satellites: 3" 4 Ohm 15W
- Channel Separation: >= 52dB
- Magnetically shielded

MC-2120

- Output Power (RMS): Subwoofer: 16W, Satellite: 12W×2
- Frequency Response: 35Hz-20KHz
- Dimension (WxDxH): Amplifer: 210×77×200 mm, Subwoofer: 220×270×160mm, Satellite: 76×70×160mm
- S/N ratio: >= 80dB
- Speaker Unit: Subwoofer: 5" 4 Ohm 15W
- Satellites: 2" 6 Ohm 5W
- Channel Separation: >= 50dB
- Magnetically shielded

MC-2060

- Power Output: 12W x 2+16W RMS
- Frequency Response: 35Hz~20KHz
- Dimensions (W × D × H): Subwoofer: 162×314×240mm Satellites: 84×90×164mm
- Harmonic Distortion: 0.3% 1W 1KHz
- S/N: >80dB
- Separation: >45dB
- Speaker: Subwoofer 5.25" Satellite 2.5"x 2

MC-2050

- Power Output: Subwoofer 24W RMS Satellite 15W RMS x2
- Sensitivity Input: 300mV
- Distortion: <0.3% (1W 1KHz)
- S/N Ratio: >75dB
- Separation: >45dB
- Driver Unit: Subwoofer Driver 5.25" Satellite Driver 2.5"
- Magnetically shielded

MC-2090

- Output Power (RMS): Subwoofer: 16W, Satellite: 12W×2
- Frequency Response: 35Hz-20KHz
- Dimension (W×D×H): Subwoofer: 223×240×172mm, Satellite: 102×96×172mm
- S/N ratio: >= 80dB
- Speaker Unit: Subwoofer: 5" 4 Ohm, Satellites: 3" 6 Ohm
- Channel Separation: >= 45dB
- Option Front panel color: white, silver, black
- Magnetically shielded

MC-5040

- Output Power (RMS): Subwoofer: 22W, Satellite: 8W×5
- Frequency Response: 35Hz-20KHz
- Dimension (WxDxH): Subwoofer: 340×165×240mm, Satellite: 85×100×165mm
- S/N ratio: >= 80dB
- Speaker Unit: Subwoofer: 5.25" 4 Ohm,
- Satellites: 2.5" 4 Ohm
- Channel Separation: >= 45dB
- Magnetically shielded

MC-5060

- Output Power (RMS): Subwoofer: 22W, Satellite: 8W×5
- Frequency Response: 35Hz-20KHz
- Dimension (WxDxH): Subwoofer: 340×165×240mm, Satellite: 85×100×165mm
- S/N ratio: >= 80dB
- Speaker Unit: Subwoofer: 5.25" 4 Ohm,
- Satellites: 2.5" 4 Ohm
- Channel Separation: >= 45dB
- Magnetically shielded

MC-5050

- Output Power (RMS): Subwoofer: 29W, Satellite: 14W×5
- Frequency Response: 35Hz-20KHz
- Dimension (WxDxH): Amplifer: 296×90×250mm Subwoofer: 258×214×220mm, Satellite: 100×85×165mm
- S/N ratio: >= 70dB
- Speaker Unit: Subwoofer: 5.25" 8 Ohm,
- Satellites: 2.5" 4 Ohm
- Channel Separation: >= 40dB
- Magnetically shielded

Network solutions

Our networking product line consists of routers, network adapters and switching hubs. Our equipment is offered in various specifications to meet customer's needs. They allow to connect few PCs to Internet and are perfect solution for home and small office use. Apart of the high internet access our devices come with support for whole set of security standards.

MC-421 1

802.11b/g WLAN Broadband Router
- Internet connection sparing with NAT support,
- Firewall
- IEEE 802.11g WLAN interface (up to 54 Mbps) with support for 64/128 bits WEP, WPA, WPA2, WDS and WPS
- 4x10/100Mbps Ethernet switching hub (Auto MDI/MDIX)
- WAN IP Assignment: Static IP, DHCP client, PPPoE client
- LAN DHCP server
- WLAN on/off switch button
- WLAN WPS switch button
- Configuration: Web Browser Windows based Easy Setup program

New!

1

Perfect for sharing your broadband ADSL internet connection

MC-420

- ADSL2/2+ Router/Modem
- ADSL Compliant:ANSI T1.413 issue 2, ITU-T G.994.1 (G.hs, Multimode), ITU-T G.992.1 (G.dmt), ITU-T G.992.2 (G.lite), ITU-T G.992.3 (ADSL2 G. dmt.bis), ITU-T G.992.4 (ADSL2 G. lite.bis), ITU-T G.992.5 (ADSL2/2+; Annex A,B,I,J,L&M), Reach Extended ADSL (RE ADSL)
- 4-port switching hub
- High performance
- Built-in firewall
- 802.11g wireless interface

New!

2

MC-106USB 2

802.11b/g WLAN USB Adapter
- Protocol and Standards: IEEE 802.11g; IEEE 802.11b
- Security: 64/128-bits WEP Encryption; WPA; WPA2
- Transmission Distance: Indoor up to 100m, outdoor up to 300m (it is limited in an environment).
- Wireless LAN data transfer rates: 802.11g: 54, 48, 36, 24, 18, 12, 9, 6Mbps, 802.11b: 11, 5.5, 2, 1Mbps
- Transmit Power: 11g:14dBm (typical +/-1dBm) 11b:17dBm (typical +/-1dBm)
- Frequency: 2.412~2.484GHz

MC-ETH08

Switch 8 Ports
- 8 10/100Mbps Auto-Negotiation Ethernet ports
- Fully compliant with IEEE802.3/802.3u auto-negotiation function
- Each port supports Auto-MDI/MDI-X function
- Buffer Size: 1MB
- LED: Power 1 LED ,10/100Mbps Link LED 1; LED per Port, Collision 1 LED per Port
- Power: External DC Adaptor 7.5V,1A

MC-418A

Wireless Router
High speed 802.11G Wireless Router with 4 ports 10/100 Mbps
- Excellent signal quality on greater distances
- 802.11b/g
- Advanced firewall
- DDoS Blocking
- PPTP VPN Server
- Quick&Easy Setup
- Support for QoS functionality
- Supports WPA/WPA2 and WPA-PSK/WPA2-PSK Encryptions
- Wireless WAN mode

MC-WL01

PCI Wireless LAN Adapter
- Supported standards: IEEE802.11g, IEEE802.11b
- Throughput: 11g, 54/48/36/24/18/12/9/6Mbps; 11b, 11/5.5/2/1Mbps
- Frequency Range: 2.412~2.4835GHz
- Wireless security: 64/128/256-bit WEP, WPA (IEEE802.1X, PSK, TKIP, AES)
- Quick and easy installation and configuration

MC-105USB

Network USB Adapter
- Supported standards: IEEE802.11g, IEEE802.11b
- Throughput: 11g, up to 54Mbps; 11b, up to 11Mbps
- Modulation Techniques: Orthogonal Frequency Division Multiplexing (OFDM)/ Complementary Code Keying (CCK)
- Frequency Range: 2.412~2.4835GHz
- Automatic data rate setting up to 54Mbit

computer cases

MODECOM is unchallenged leader in manufacturing computer cases, offering many types, such as: Midi, Mini, Slim, Ultra Slim and Mini ITX. Cases are differentiated by functionality and requirements of the users, from basic simple design solutions, to very advanced, modern, elegant and futuristic forms. MODECOM cases feature: perfect parameters, modern solutions, precision of execution and high quality of material.

PRIME

- MIDI TOWER CASE
- Dimensions: 180×477×415 (W×D×H)
- Drive Bays: 3 x 5.25" (External), 1x 3.5" (External), 5 x 3.5" (Internal)
- Board: ATX & Micro ATX & ITX format
- Expansion Slot: 7
- Power Supply: ATX power supply
- Front Panel Color: Black+Silver
- Standard: USB2.0 (4port) & Audio (Speaker / Mic)

Option: 120mm fan on back side & front side; 92mm fan on back side; 80mm fan on back side Ports – HD Audio, e-SATA; Air Guide on the side Intel CAG 1.1 Available; Side cover open alarm switch

ENJOY2

- MIDI TOWER CASE
- Dimensions: 180×477×415 (W×D×H)
- Drive Bays: 3 x 5.25" (External), 1x 3.5" (External), 5 x 3.5" (Internal)
- Board: ATX & Micro ATX & ITX format
- Expansion Slot: 7
- Power Supply: ATX power supply
- Front Panel Color: Black+Silver
- Standard: USB2.0 (2 port) & Audio (Speaker / Mic)
- Option: 120mm fan on back side & front side; 92mm fan on back side; 80mm fan on back side; Ports – HD Audio; Air Guide on the side - Intel CAG 1.1 Available; Side cover open alarm switch

PROSTATION2 MIDI

- Midi Tower Case
- Dimensions: 180*477*415 (W*D*H)
- Drive Bays: 2 x 5.25" (External); 1x 3.5" (External); 5 x 3.5" (Internal)
- Board: ATX & Micro ATX & ITX format
- Expansion Slot: 7
- Power Supply: ATX power supply
- Standard: USB2.0 (4 port) & Audio (Speaker / Mic)
- Option: 120mm fan on back side & front side 92mm fan on back side; 80mm fan on back side; Ports – HD Audio, e-SATA; Air Guide on the side Intel CAG 1.1 Available; Side cover open alarm switch
- Front Panel Color: Black

AZA

- MIDDLE TOWER
- DRIVE BAYS: 5.25" × 4 (EXT), 3.5" × 1 (EXT), 3.5" × 5 (INT)
- DIMENSIONS: 180×478×415mm (W×D×H)
- MAINBOARD SIZE ATX & MICRO ATX, ITX
- Equipment: 2×USB 2.0 + Audio Ports, Color LCD, CD Cover, 2×80mm fan, 1394 Port, Ready for Prescott
- COLOR: BLACK+SILVER, SILVER+BLACK
- POWER SUPPLY Standard atx
- EXPANSION SLOT 7
- OPTION Additional CD-Cover, 80mm or 92mm fan at the front or back chassis

NEXT2 1

- Dimension: 180 * 477 * 415 (W * D * H)
- Type: Middle Tower Case
- Drive Bay: 5.25" * 4 (Ext) 3.5" * (Ext) 3.5" * 5 (Int)
- Mainboard Size: ATX & MICRO ATX, ITX
- Expansion Slot: 7
- Standard: 2 * USB & Audio Port / C.A.G. 1.1 , One CD cover
- Options: 80mm or 92mm Fan on the front and the back side. LCD with Auto Controlled Fan * 1 Sata Connector, 1394 FIRE WIRE Port
- COLOR: ALL BLACK, BLACK+RED

WINNER2 2

- Dimension: 180 * 477 * 415 (W * D * H)
- Type: Middle Tower Case
- Drive Bay: 5.25" * 4 (Ext) 3.5" * 1(Ext) 3.5" * 5 (Int)
- Mainboard Size: ATX & MICRO ATX, ITX
- Expansion Slot: 7
- Standard: 2 * USB & Audio Port / C.A.G. 1.1, One CD cover
- Options: 80mm or 92mm Fan on the front and the back side Sata Connector, 1394 FIRE WIRE Port
- Color: BLACK+SILVER, SILVER+BLACK

DRAGON 1

- Dimension: 180 * 477 * 415 (W * D * H)
- Type: Middle Tower Case
- Drive Bay: 5.25" * 4 (Ext), 3.5" * 5 (Int)
- Mainboard Size: ATX & MICRO ATX, ITX
- Expansion Slot: 7
- Standard: 4 * USB & Audio Port / C.A.G. 1.1 One CD cover
- Options: 80mm or 92mm Fan on the front and the back side Sata Connector, 1394 FIRE WIRE Port
- Color: BLACK, SILVER

ENIGMA 2

- Dimension: 180 * 477 * 415 (W * D * H)
- Type: Middle Tower Case
- Drive Bay: 5.25" * 4 (Ext), 3.5" * 5 (Int)
- Mainboard Size: ATX & MICRO ATX, ITX
- Expansion Slot: 7

LCD with Auto Controlled Fan * 1, 4 * USB & Audio Port / C.A.G. 1.1 One CD cover

- Options: Changing 92mm Fan on the front and the back sideSata Connector, 1394 FIRE WIRE Port
- Color: BLACK, SILVER

midi towers

FEEL-607 LCD

- MIDDLE TOWER
- DRIVE BAYS 5.25" × 3 (EXT) +1 (INT), 3.5" × 1 (EXT), 3.5" × 5 (INT)
- DIMENSIONS: 180 × 477 × 415 (W × D × H)
- MAINBOARD SIZE: ATX & MICRO ATX, ITX
- Equipment: 4 USB & Audio Ports, CD-Cover, LCD display, Ready for Prescott, side cover with ventilation holes and a cover
- Color: SILVER + RED, SILVER + black
- POWER SUPPLY: Standard atx
- EXPANSION SLOT 7
- Option: 80mm or 92mm fan at the front or back chassis, Additional CD-Covers

FEEL-607 LCD MEDIACENTER

- MIDDLE TOWER
- DRIVE BAYS 5.25" × 3 (EXT) +1(INT), 3.5" × 1 (EXT), 3.5" × 5 (INT)
- DIMENSIONS 180 × 477 × 415 (W × D × H)
- MAINBOARD SIZE: ATX & MICRO ATX, ITX
- Equipment: 4 USB & Audio Ports. CD-Cover, LCD display, Ready for Prescott, side cover with ventilation holes and a cover. PC Remote control, Media Center Software
- Color SILVER + RED, SILVER + black
- POWER SUPPLY Standard atx
- EXPANSION SLOT 7
- Option 80mm or 92mm fan at the front or back chassis, additional CD-Covers

SWING

- MIDDLE TOWER
- DRIVE BAYS 5.25" × 4 (EXT), 3.5" × 2 (EXT), 3.5" × 4 (INT)
- DIMENSIONS 180×474×415mm (W×D×H)
- MAINBOARD SIZE: ATX & MICRO ATX, ITX
- Equipment: 2×USB 2.0 & Audio Ports, CD-Cover, Ready for Prescott
- Color: BLACK+SILVER, SILVER+BLACK
- POWER SUPPLY: Standard atx
- EXPANSION SLOT 7
- Option: Additional CD-Cover 80mm or 92mm fan at the front or back chassis



KARMA

- MIDDLE TOWER
- DRIVE BAYS 5.25" × 4 (EXT), 3.5" × 1 (EXT); 3.5" × 5 (INT)
- DIMENSIONS: 180 × 477 × 415 (W × D × H)
- MAINBOARD SIZE: ATX & Micro ATX, ITX
- Equipment: 2×USB ports & Audio Ports, CD-Cover, Ready for Prescott
- COLOR: Silver+Black, Black+Silver
- Expansion SLOT 7
- POWER SUPPLY: Standard Atx
- OPTION: 80mm or 92mm fan at the front or back chassis, Additional CD-Covers

FEEL 307

- MIDDLE TOWER
- DRIVE BAYS: 5.25" × 4 (EXT), 3.5" × 2 (EXT), 3.5" × 4 (INT)
- DIMENSIONS: 180×480×420 (W × D × H)
- MAINBOARD SIZE: ATX & Micro ATX, ITX
- Equipment: 2×USB & Audio Ports, CD-Cover, Ready for Prescott
- POWER SUPPLY: Standard atx
- COLOR: SILVER, BLACK
- OPTION: 80mm or 92mm fan at the front or back chassis
- IEEE-1394 Port,
- Additional CD-Covers

STEP 307

- MIDDLE TOWER
- DRIVE BAYS 5.25" × 3 (EXT), 5.15" × 1 (INT), 3.5" × 1 (EXT), 3.5" × 5 (INT)
- DIMENSIONS: 180 × 477 × 415 (W × D × H)
- MAINBOARD SIZE: ATX & MICRO ATX, ITX
- Equipment: 2×USB & Audio Ports, CD-Cover, Ready for Prescott
- Color: BLACK+SILVER, SILVER+BLACK
- POWER SUPPLY: Standard atx
- EXPANSION SLOT 7
- Option: 80mm or 92mm fan at the front or back chassis, Additional CD-Covers,1394 Port

THINKBELL

- MIDDLE TOWER
- DRIVE BAYS 5.25" × 4 (EXT), 3.5" × 1 (EXT), 3.5" × 5 (INT)
- DIMENSIONS: 180×482×415mm (W×D×H)
- MAINBOARD SIZE: ATX & MICRO ATX, ITX
- Equipment: 2×USB 2.0 & Audio Ports, LCD 80mm fan CD-Cover, Ready for Prescott
- Color: BLACK+SILVER, SILVER+BLACK
- POWER SUPPLY Standard atx
- EXPANSION SLOT 7
- Option Additional CD-Cover, 80mm or 92mm fan at the front or back chassis

STEP 407

- MIDDLE TOWER
- DRIVE BAYS: 5.25" × 4 (EXT), 3.5" × 2 (EXT), 3.5" × 4 (INT)
- DIMENSIONS: 180 × 477 × 415 (W × D × H)
- MAINBOARD SIZE: ATX & MICRO ATX, ITX
- Equipment: 2×USB & Audio Ports, CD-Cover, Ready for Prescott
- COLOR: BLACK+SILVER, SILVER+BLACK
- POWER SUPPLY: Standard atx
- EXPANSION SLOT 7
- Option: 80mm or 92mm fan at the front or back chassis, additional CD-Covers, 1394 Port

DEBUT

- MIDDLE TOWER
- DRIVE BAYS: 5.25" × 4 (EXT), 3.5" × 1 (EXT), 3.5" × 5 (INT)
- DIMENSIONS: 180 × 477 × 415 (W × D × H)
- MAINBOARD SIZE: ATX & Micro ATX, ITX
- Equipment: 2×USB & Audio Ports, CD-Cover, Ready for Prescott
- COLOR: Silver+Black, Black+Silver
- Expansion SLOT 7
- POWER SUPPLY
- Standard atx
- OPTION: 80mm or 92mm fan at the front or back chassis,Additional CD-Covers

mini towers

TWINS

- MIDDLE TOWER
- DRIVE BAYS: 5.25" × 4 (EXT) 3.5" × 2 (EXT), 3.5" × 4 (INT)
- DIMENSIONS: 180 × 477 × 415 (W × D × H)
- MAINBOARD SIZE: ATX & Micro ATX, ITX
- Equipment: 2×USB & Audio Ports, CD-Cover, Ready for Prescott
- COLOR: Silver+Black, BLACK+SILVER
- Expansion SLOT 7
- POWER SUPPLY: Standard atx
- OPTION: 80mm or 92mm fan at the front or back chassis, Additional CD-Covers

HARRY

- MIDDLE TOWER
- DRIVE BAYS: 5.25×4 (EXT), 3.5×1 (EXT), 3.5×5 (INT)
- DIMENSIONS: 180×480×415 (W × D × H)
- MAINBOARD SIZE: MICRO ATX; ATX, ITX
- Equipment: 2×USB & Audio Ports, CD-Cover, Ready for Prescott
- POWER SUPPLY: Standard atx
- COLOR: BLACK
- OPTION: 80mm or 92mm fan at the front or back chassis, Additional CD-Covers

STEP 107

- MIDDLE TOWER
- DRIVE BAYS: 5.25"×4 (EXT), 3.5"×1 (EXT),3.5"×5 (INT)
- DIMENSIONS 180×480×415 (W × D × H)
- MAINBOARD SIZE: ATX & Micro ATX, ITX
- Equipment: 2×USB & Audio Ports, CD-Cover, Ready for Prescott
- POWER SUPPLY: Standard atx
- COLOR IVORY, SILVER, BLACK
- OPTION: 80mm or 92mm fan at the front or back chassis, Additional CD-Covers, L.C.D. with thermal sensors and control fan button

STEP 207

- MIDDLE TOWER
- DRIVE BAYS: 5.25"×4 (EXT), 3.5"×1 (EXT), 3.5"×5 (INT)
- DIMENSIONS: 180×470×415 (W × D × H)
- MAINBOARD SIZE: ATX & Micro ATX, ITX
- Equipment: 2×USB & Audio Ports, CD-Cover, Ready for Prescott
- POWER SUPPLY: Standard atx
- COLOR: IVORY, SILVER, BLACK
- OPTION: 80mm or 92mm fan at the front or back chassis, Additional CD-Covers

New!

ENJOY2 MINI

- Mini Tower Case
- Dimensions: 180*437*355 (W*D*H)
- Drive Bays: 2 x 5.25" (External); 1x 3.5" (External); 3 x 3.5" (Internal)
- Board: Micro ATX & ITX format
- Expansion Slot: 4
- Power Supply: ATX power supply
- Front Panel Color: Black+Silver
- Standard: USB2.0 (2 port) & Audio (Speaker / Mic)
- Option: 92mm fan on back side & front side
  80mm fan on back side & front side
  Ports – HD Audio, Air Guide on the side
  Intel CAG 1.1 Available



NEXT2 MINI

- Dimension: 180 * 477 * 415 (W * D * H)
- Type: Middle Tower Case
- Drive Bay: 5.25" * 4 (Ext) 3.5" * 1(Ext) 3.5" * 5 (Int)
- Mainboard Size: ATX & MICRO ATX, ITX
- Expansion Slot: 7
- Standard: 2 * USB & Audio Port / C.A.G. 1.1 , One CD cover
- Options: 80mm or 92mm Fan on the front and the back side, LCD with Auto Controlled Fan * 1
  Sata Connector, 1394 FIRE WIRE Port
- Color: BLACK+RED

CLASSIC MINI

- Dimension: 180 * 477 * 415 (W * D * H)
- Type: Middle Tower Case
- Drive Bay: 5.25" * 4 (Ext) 3.5" * 1(Ext) 3.5" * 5 (Int)
- Mainboard Size: ATX & MICRO ATX, ITX
- Expansion Slot: 7
- Standard: 2 * USB & Audio Port / C.A.G. 1.1, One CD cover
- Options: 80mm or 92mm Fan on the front and the back side
  Sata Connector, 1394 FIRE WIRE Port
- Color: BLACK+SILVER, SILVER+BLACK

New!

PRIME MINI

- Mini Tower Case
- Dimensions: 180×437×355 (W×D×H)
- Drive Bays: 2 x 5.25" (External); 1x 3.5" (External); 3 x 3.5" (Internal)
- Board: Micro ATX & ITX format
- Expansion Slot: 4
- Power Supply: ATX power supply
- Front Panel Color: Black+Silver
- Standard: USB2.0 (4port) & Audio (Speaker / Mic)
- Option: 92mm fan on back side & front side; 80mm fan on back side & front side; Ports – HD Audio, e-SATA; Air Guide on the side; Intel CAG 1.1 Available

mini towers

PROSTATION2 MINI

- Mini Tower Case
- Dimensions: 180*437*355 (W*D*H)
- Drive Bays: 2 x 5.25" (External); 1 x 3.5" (External); 3 x 3.5" (Internal)
- Board: Micro ATX & ITX format
- Expansion Slot: 4
- Power Supply: ATX power supply
- Standard: USB2.0 (4 port) & Audio (Speaker / Mic)
- Option: 92mm fan on back side & front side; 80mm fan on back side & front side; Ports – HD Audio, e-SATA; Air Guide on the side
- [illegible]CAG 1.1 Available
- [illegible]nt Panel Color: Black+Silver

SWING MINI

- MINI tower
- DRIVE BAYS: 5.25" × 2 (EXT), 3.5" × 2 (EXT), 3.5" × 2 (INT)
- DIMENSIONS: 180×438×336mm (W×D×H)
- MAINBOARD SIZE: MICRO ATX, ITX
- Equipment: 2×USB 2.0 & Audio Ports, CD-Cover, Ready for Prescott
- POWER SUPPLY: Standard atx
- COLOR: Black+Silver, Silver+Black
- OPTION: Additional CD-Cover, 80mm or 92mm fan at the front or back chassis

DEBUT MINI

- [illegible]INI - MICRO ONLY
- [illegible]RIVE BAYS, 5.25" × 2(EXT), [illegible].5" × 1(EXT), 3.5" × 3(INT)
- [illegible]IMENSIONS: 180×437×355 (W × D × H)
- MAINBOARD SIZE: MICRO AT, ITX
- Equipment: 2×USB & Audio Ports, 1×CD-Cover, Ready for Prescott
- COLOR: SILVER, BLACK
- POWER SUPPLY: Standard atx
- Expansion SLOT 4
- OPTION: 80mm or 92mm fan at the front or back chassis, Additional CD-Covers

HARRY MINI

- MINI TOWER
- DRIVE BAYS: 5.25" × 2 (EXT), 3.5" × 1 (EXT), 3.5" × 3 (INT)
- DIMENSIONS: 180×437×355 (W × D × H)
- MAINBOARD SIZE: MICRO ATX, ITX
- Equipment: 2×USB & Audio Ports, CD-Cover, Ready for Prescott
- COLOR: BLACK
- POWER SUPPLY: Standard atx
- OPTION: 80mm or 92mm fan at the front or back chassis, Additional CD-Covers

ultra slim towers

1 FEEL 105

ULTRA SLIM

- Dimensions: 92 mm × 395 mm × 335 mm (W×D×H)
- Drive Bays: 5.25"×1 (EXT), 3.5"×1(EXT), 3.5"×2 (INT)
- MAINBOARD SIZE: Mirco ATX
- Equipment: Four USB2.0 & AUDIO ports, 60mm MB Fan
- Expansion slot: 4EA (Low Profile Type)
- Power Supply: TFX type PSU
- Option: Led, Temperature Sensor, LCD Display

2 FEEL 205

ULTRA SLIM

- Dimensions: 92 mm × 395 mm × 335 mm (W×D×H)
- Drive Bays: 5.25"×1 (EXT), 3.5"×1 (EXT), 3.5"×2 (INT)
- MAINBOARD SIZE: Mirco ATX
- Equipment: Two USB2.0 & AUDIO ports, 60mm MB Fan
- Expansion slot: 4EA (Low Profile Type)
- Power Supply: TFX type PSU

slim towers

3 W&F

- SLIM SIZE
- DRIVE BAYS 5.25" × 1 (EXT), 3.5" × 1 (EXT)
- DIMENSIONS: 140×416×350mm (W×D×H)
- MAINBOARD SIZE: MICRO ATX
- Equipment: 2×USB 2.0 & Audio Ports, Ready for Prescott
- COLOR: White+Black, Black
- Expansion SLOT 4
- POWER SUPPLY: Micro atx
- OPTION: 2×60mm fan at the back chassis

4 TWINS SLIM

- SLIM
- DRIVE BAYS: 5.25" × 1 (EXT), 3.5" × 2 (EXT), 3.5" × 1 (INT)
- DIMENSIONS: 136 × 415 × 350 (W × D × H)
- MAINBOARD SIZE: Micro ATX
- Equipment: 2×USB & Audio Ports, CD-Cover, Ready for Prescott
- COLOR: Black+silver, Silver expansion SLOT 4
- POWER SUPPLY: Micro ATX
- OPTION: 60mm fan at the front or back chassis, 80mm fan at the front chassis

mini ITX

Mini ITX type – Modecom Feel is a perfect choice, for all the users, who value modern solutions, funcionality and comfort. ITX pc cases are capable enough to install all necessary pc components, while saving space, and this is their main advantage.

FEEL 102

- ITX
- Dimensions: 60 mm × 321 mm × 220 mm (W
- Drive Bays: 5.25”×1 slim type (EX 3.5”×1 (INT)
- MAINBOARD SIZE: Mini ITX
- thickness: 0,8t secc
- Power Supply: Internal DC-DC Power converter
- Equipment: 2×USB & Audio Port
- COLOR: Black+Silver, Silver+Black

FEEL 202

- ITX
- Dimensions: 60 mm × 325 mm × 220 mm (W×D×H)
- Drive Bays: 5.25”×1 slim type (EXT), 3.5”×1 (INT)
- MAINBOARD SIZE: Mini ITX
- thickness: 0,8t secc
- Power Supply: Internal DC-DC Power converter
- Equipment: 2×USB & Audio Port
- COLOR: White, Black, Silver

FEEL 302

- ITX
- Dimensions: 60 mm × 321 mm × 220 mm (W×D×H)
- Drive Bays: 5.25”×1 slim type (EXT), 3.5”×1 (INT)
- MAINBOARD SIZE: Mini ITX
- thickness: 0,8t secc
- Power Supply: Internal DC-DC Power converter
- Equipment: 2×USB & Audio Port
- COLOR: Black+Silver, Silver+Black

cases
accessories

MC-525

- Media Center Set
- Convenient interface for Movie, Music, Photo, DVD, internet TV and internet radio using your fingertips or Remote Controller.
- ON/OFF PC Power with the Remote Controller, 20 x 2 LCD installed in the Receiver.
- Various kinds of multimedia and system information displayed.
- Compatible with Microsoft Windows XP, Windows XP Media Center Edition, Vista.

LCD BOX

- 5,25” LCD Module Digital Communication
- Indicating function of the CPU & System
- Indicating function of the HDD working
- Time and alarm settings
- Regulating function of the Fan speed
- Cable for connecting LCD and Fan included

card readers

Card readers are quite a recent product group in our offer but we can already propose you a wide range of models - internal card readers for desktops - installed in 3,5" or 5,25" bay of your computer case and also external card readers designed for notebooks users are in our current offer. Most of our card readers are compatible with almost every memory card available on the market. Some of them are designed to support special kinds of memory cards like microSD(HC) or M2. Please note that reading and writing speeds are impressive even though the size of a reader is very small.

MC-MINI

- External card reader
- No drivers installation is required.
- Supported memory cards: Secure Digital Card, SDHC, Mini SD, Micro SD & Trans flash, MMC, Reduced sized MMC
- Hot-swap from memory card slots,
- No external power required,
- 1 memory card slot.

MC-CR107

- Internal Card Reader.
- Installed in 3,5" bay.
- 2 exchangeable color panels inside: black, silver
- Supported memory cards: CFI, CFII, Extreme CF, Extreme III CF, xD, Microdrive, SD, SDHC, Mini-SD, Micro SD/T-Flash, MMC, RS-MMC, MS, MS Pro, MS Duo, MS Pro Duo, Magic Gate.
- Hot-swap from memory card slots
- 5 memory card slots

MC-CR201

- External Card Reader
- Supports High Speed USB 2.0
- USB BUS powered – yes, no external power needed
- Plug and Play and hot swapping for dynamic insert in / remove from memory card slots
- USB 2.0 interface;
- Allow data exchange in different slots
- OS support; Windows 98/98SE/2000/ME/XP/Vista, LINUX 2.4 & Mac. OS 9.x or higher
- Color: black, red

CR-MICRO

External Card Reader.

- Supported memory cards : M2, Micro SD & Trans flash
- Interface: USB 2.0 /USB 1.1
- High Speed" (480Mbps), „full speed" (12Mbps) and „low speed" (1.5Mbps) transfer rate.
- Hot-swap from memory card slot
- No external power required
- 1 memory card slot

CR-COMBO

- External card reader with 3-port USB passive hub.
- No drivers installation is required.
- Possibility to install devices like: mouse, keyboard, MP3 player.
- Supported memory cards: Compact Flash (CF Card Type I & II), Micro Drive Card, IBM Micro Drive Card, SONY Micro Drive Card, xD-Picture Card, Secure Digital Card, Mini SD, MMC, Multimedia PRO /Plus Card, Reduced sized MMC, Memory Stick, Memory Stick Duo, Micro SD & Trans flash
- Hot-swap from memory card slots

CR-LEVEL

- External card reader
- No drivers installation is required.
- Supported memory cards: Compact Flash (CF Card Type I & II), Micro Drive Card, IBM Micro Drive Card, SONY Micro Drive Card, xD-Picture Card, Secure Digital Card, SDHC, Mini SD, MMC, Multimedia PRO / Plus Card, Reduced sized MMC, M2, Memory Stick, Memory Stick Duo, Micro SD & Trans flash
- Hot-swap from memory card slots,
- 6 memory card slots.

New!

HUB 4U

- External 4-port passive USB hub.
- Possibility to install and use at the same time devices like: mouse, keyboard, MP3 player, printer.
- 4 USB ports
- Interface: USB 2.0 /USB 1.1
- „High Speed" (480Mbps), „full speed" (12Mbps) and „low speed" (1.5Mbps) transfer rate.
- Color: glossy black
- Equipment: USB cable

New!

CR-WAVE

- External card reader with 3-port USB passive hub
- 3 USB ports
- 4 memory card slots
- Interface: USB 2.0 /USB 1.1
- „High Speed" (480Mbps), „full speed" (12Mbps) and „low speed" (1.5Mbps) transfer rate.
- No external power source needed
- Hot-swap from memory card slots

New!

WAVE HUB

- External 7-port active USB hub.
- Possibility to install and use at the same time devices like: mouse, keyboard, MP3 player, printer.
- Color: glossy black
- 7 USB ports
- Interface: USB 2.0 /USB 1.1
- „High Speed" (480Mbps), „full speed" (12Mbps) and „low speed" (1.5Mbps) transfer rate.
- Equipment: USB cable, power adaptor

power supplies

Years ago MODECOM has established it's strong market position as a producer of modern and technologically advanced computer power supplies. Customers have confidence in MODECOM made PSU, due to well known quality and reliability.
From basic models dedicated for standard configurations, up to exclusive high wattage models made for the advanced and the most demanding PC computers.
Perfect parameters of cooling, stable work, precision of execution and high quality of materials, are trademarks of all MODECOM PS .
MODECOM is also the highest level of safety due to implementation of all certified norm.

PREMIUM
350W, 400W, 500W

- 12CM FAN
- 20+4pin connector, SATA
- Screws ground,
- Fan grill,
- 1x PCI Express,
- I/O switch,
- CE power cord 1,8m,
- connectors: PS4, molex, FDD, passive PFC, CE!!!

FEEL
350W, 400W, 500W

- 12CM FAN!
- 20+4pin connector, SATA
- Screws ground,
- Fan grill,
- I/O switch,
- CE power cord 1,8m,
- connectors: PS4, molex, FDD, passive PFC, CE!!!

New!

MC 530 CARBON

- 14CM FAN!
- Black color,
- 20+4pin connector, SATA
- Screws ground,
- Fan grill,
- I/O switch,
- CE power cord 1,8m,
- connectors: PS4, molex, FDD, passive PFC, CE!!!

MC 620 CARBON

- 14CM FAN!
- Black color,
- 20+4pin connector, SATA
- Screws ground,
- Fan grill,
- I/O switch,
- CE power cord 1,8m,
- connectors: PS4, molex, FDD, passive PFC, CE!!!

New!

MC-S350 ATX

SFX 350W P/S w/Passive PFC with P4 Connector, SFX 12V, Safety Europe power cord

VOLCANO ULTRA 1500W

OUTPUT POWER: 1500W

- Including the mainstream Serial ATA connector of the new generation hard drive transfer Interface.
- Auto voltage detection.
- 140 mm fan.
- Noise Reduction Technology and Active Intelligent Fan Speed Control.
- Environment-friendly and energy saving (Blue Angel & Energy Star).
- Cable management

VOLCANO EXTREME 1000W

OUTPUT POWER: 1000W

- Including the mainstream Serial ATA connector of the new generation hard drive transfer Interface.
- Auto voltage detection.
- 140 mm red led illuminated transparent fan.
- Noise Reduction Technology and Active Intelligent Fan Speed Control.
- Environment-friendly and energy saving (Blue Angel & Energy Star).
- Cable management

VOLCANO
850W, 750W, 650W

- Including the mainstream Serial ATA connector of the new generation hard drive transfer Interface.
- Auto voltage detection.
- 140 mm red led illuminated transparent fan.
- Noise Reduction Technology and Active Intelligent Fan Speed Control.
- Environment-friendly and energy saving (Blue Angel & Energy Star).
- Cable management

Environment friendly power supply

- consumes less power, while protecting the environment
- active pfc
- perfect cooling

FEEL 500 ACTIVE PFC

- ATX/ATX12V version 2.2 V compatible
- ACTIVE PFC
- universal 20/24-pin connector for motherboards, P4 connector, PCI Express connector, SATA, MOLEX, FDD
- Automatic fan control (AFC)
- 12 cm fan
- Short circuit and over-voltage filters
- Silent operation
- Very low interference

mice

IT equipment doesn't have to be boring. MODECOM have just introduced amazing offer for You! Just have a look at the photos of our newest stylish mice. Such accessories will make you stand out in the crowd and emphasize your unique style. There are three versions available to suit your style. Apart of adding style to your desktop they provide perfect and comfortable work with PC.

1 New!

2 New!

3 New!

4 New!

5

6

7

MC-M2 ART 1-7

- Interface: USB
- Resolution: 800DPI
- Two buttons + scroll wheel as 3rd button
- Dimmensions: 104 x 60 x 35 mm

MC-920 ART

- Resolution: 1600/1200/800 dpi
- 4 Directions: Left/Right/Up/Down
- Internet Page: Forward/Backward
- Switch Lifetime: 5 Million clicks
- Interface: USB
- Cable Length: 150 cm
- Weight: 141g
- Attractive design
- Ergonomic shape
- G-Laser technology (double lens)
- 2 buttons for Web browser control

MC-610L ART

- Ergonomical shape
- Laser technology
- USB Interface
- Cable length: 150cm
- Resolution 800 DPI
- Switch lifetime: 5 million cycles

MC-602 ART

- Attractive design
- Compact dimensions – perfect for notebook users
- High quality
- Wireless work at up to 2 m
- High resolution 800 DPI
- Receiver: USB (storable underneath the Mouse)
- Power saving techniques
- RF interface: 27MHz
- Batteries: 2 x AAA

MC-320 ART

- Resolution: 800 DPI
- Interface: USB
- Cable legth: 89 cm
- USB cable compartment

New!

adjustable cable lenght

YUPI ART

- Interface: USB
- Resolution: 800 DPI
- Mouse Buttons: 2 buttons + 1 wheel
- Sensor: Optical
- Browse way: Vertical Scroll
- Compatible with: Windows 98/2000/ME/NT/XP/Vista
- Product size: 102 (L)× 60 (W)× 37 (H) mm

New!

MC-619 ART

- Resolution: 800 DPI
- Interface: USB
- 2 scroll wheel modes
- Wireless connection
- Working range: do 10 m
- Nano receiver
- Energy saving
- AAA batteries powered
- Low battery level LED

New!

YUPI

- Interface: USB
- Resolution: 800 DPI
- Mouse Buttons: 2 buttons + 1 wheel
- Sensor: Optical
- Browse way: Vertical Scroll
- Compatible with: Windows 98/2000/ME/NT/XP/Vista
- Product size: 102 (L)× 60 (W)× 37 (H) mm

New!

New!

MC-619

- Resolution: 800 DPI
- Interface: USB
- 2 scroll wheel modes
- Wireless connection
- Working range: do 10 m
- Nano receiver
- Energy saving
- AAA batteries powered
- Low battery level LED

MC-320

- Resolution: 800 DPI
- Interface: USB
- Cable legth: 89 cm
- USB cable compartment

MC-M3

- Precise Optical Sensor captures 1500 frames per sec)
- Easy website scroll
- Easy plug-in instalation
- 800DPI resolution
- 2 buttons and scroll
- Available in coulours: BLACK-SILVER, DARK GREY-BLACK

MC-M1

- Precise Optical Sensor captures 1500 frames per second
- Easy website scroll
- Easy plug-in instalation
- 800DPI resolution

MC-M2

- 2 buttons and scroll
- MC-M1 Dimensions: 90×54×33mm
- MC-M2 Dimensions: 104×60×35mm
- Available in colours: BLACK-SILVER, BLUE-SILVER, RED-SILVER

MC-602

- Attractive design
- Compact dimensions – perfect for notebook users
- High quality
- Wireless work at up to 2 m
- High resolution 800 DPI
- Receiver: USB (storable underneath the mouse)
- Power saving techniques
- RF interface: 27MHz
- Batteries: 2 x AAA

MC-910L

- G-Laser technology (double lens)
- High resolution: 800 DPI
- 2 buttons for Web browser control
- Switch lifetime: 5 million cycles
- Cable length: 150 cm
- Attractive design
- Ergonomic shape
- Interface: USB
- Dimension: 130 x 72 x 41 mm

MC-910

- Resolution: 1600/1200/800 dpi
- 4 Directions: Left/Right/Up/Down
- Internet Page: Forward/Backward
- Switch Lifetime: 5 Million clicks
- Interface: USB
- Cable Length: 150 cm
- Weight: 141g
- Attractive design
- Ergonomic shape
- G-Laser technology (double lens)
- 2 buttons for Web browser control
- Dimension: 130 x 72 x 41 mm

MC-920

- Resolution: 1600/1200/800 dpi
- 4 Directions: Left/Right/Up/Down
- Internet Page: Forward/Backward
- Switch Lifetime: 5 Million clicks
- Interface: USB
- Cable Length: 150 cm
- Weight: 141g
- Attractive design
- Ergonomic shape
- G-Laser technology (double lens)
- 2 buttons for Web browser control

MC-610 1

- Resolution: 1600/1200/800 dpi
- 4 Directions: Left/Right/Up/Down
- Internet Page: Forward/Backward
- Switch Lifetime: 5 Million Clicks
- Interface: USB
- Cable Length: 150 cm
- Attractive design
- Compact design – perfect for notebook users
- Ergonomic shape
- Programmable buttons
- G-Laser technology (double lens)
- 2 buttons for Web browser
- Dimension: 110 × 61 × 35 mm

MC-610L 2

- G-Laser technology (double lens)
- High resolution: 800 DPI
- 2 buttons for Web browser control
- Switch lifetime: 5 million cycles
- Cable length: 150 cm
- Attractive design
- Ergonomic shape
- Interface: USB
- Dimension: 110 × 61 × 35 mm

Our tremendous mice offer is made with wide range of models, ranging from the simplest to those addressed to most advanced users. We produce mice for feminine part of PC users (ART series), graphic artists, gamers and wide range of home and office users expecting high quality and ergonomics. Various color versions, style and designs along with wide range of technical specifications allow each user to find device that would suit his demand.

MC-930

- Frame rate: 6500FPS
- Solution: A3080
- Acceleration: 15G
- Pixel processing: 5753600
- Shift gear: yes
- Shift mode: press
- Shift display: yes
- DPI mode: 400-800-1200-1600
- Keystroke lifetime: 5 000 000
- Wheel lifetime: 100 000
- Wire length: 2.0m
- Interface: USB

MC-900

- Frame rate: 7080FPS
- Solution: A6010
- Acceleration: 20G
- Pixel processing: 6364920
- Shift gear: yes
- Shift mode: press
- Shift display: yes
- DPI mode: 400-800-1600-2000
- Keystroke lifetime: 5 000 000
- Wheel lifetime: 100 000
- Wire length: 2.0m
- Interface: USB

MC-907

- Resolution: 1600/1200/800 dpi
- Image Processing: 5.8 MP/sec.
- Max. Acceleration: 15g
- Max. Speed: 40 Inches/sec.
- Interface: USB
- Cable Length: 180 cm
- Attractive design
- High quality
- Ergonomic shape
- Programmable buttons with settings memory within the mouse
- Pixel processing speed: 5.8MPix/sec.

MC-905

- Frame rate: 6500FPS
- Solution: PAN3601
- Acceleration: 20G
- Pixel processing: 5753600
- Shift gear: yes
- Shift mode: press
- Shift display: yes
- DPI mode: 400-800-1600
- Keystroke lifetime: 5 000 000
- Wheel lifetime: 100 000
- Wire length: 1.6m (receiver)
- Interface: USB

MC-906

- Frame rate: 7080FPS
- Solution: A6010
- Acceleration: 20G
- Pixel processing: 6364920
- Shift gear: yes
- Shift mode: press
- Shift display: yes
- DPI mode: 400-800-1600-2000
- Keystroke lifetime: 5 000 000
- Wheel lifetime: 100 000
- Wire length: 2.0m
- Interface: USB

MC-300

You can charge batteries with a receiver. !!!

- Wireless Optical Mouse with Charger Receiver MC-300
- Resolution: 800 DPI
- Plug & Play
- Sleep Mode – Save More Power
- Outstanding Performance on every surface
- Scroll Light up-Lower Reminder Function
- Interface: USB

MC-802

- Touchpad instead of the traditional wheel
- The latest 4-way touch technology
- Perfect optical technology
- Optical mechanism suitable for left and right handed users
- Smooth movement of the cursor
- Perfect for viewing images, large documents and spreadsheets
- High resolution (800 dpi) and sensitivity
- Working status light
- Interface: USB

MC-901

- DPI mode: 800
- The idea to combine the appearance, applicability and super-slim design
- Double Lens: better performance than laser mouse
- Outstanding performance on any surface
- Brand-new technology developed by professionals
- Light, small and easily portable
- Unique and modern design with aluminum case for stylish users
- Interface: USB

MC-819

- Better performance as laser mouse
- Resolution: 1600 DPI
- Forward/Backward in internet function
- Music forward/backward in Multi-media function
- Media control function: Media Play/ Pause/Volume up/Volume down
- 30 line per scrolling unit
- 4 direction rolling Up/Down/Left/Right
- Interface: USB

MC-319

- Same performance as laser Mouse
- Resolution: 800 DPI
- 4 direction rolling Up/Down/Left/Right
- Browsing: scroll horizontal and vertical
- Forward/Backward in internet function
- Interface: USB
- Media control function: Media Play/ Pause/Volume up/Volume down

keyboards

MODECOM provides various types of keyboards: low-profile, ultra-slim, standard keycap, wireless, multimedia and VoIP keyboards. Our keyboards offer many useful multimedia, internet and system hot-keys. You may also find our keyboards in sets with mice.

MC-5003

- Notebook keyboard structure,
- 5 multimedia Hotkeys,
- Super Slim: 17 mm
- Interface: PS/2, USB;
- Multimedia: Play/Pause, Stop, Mute, Volume down, Volume up
- System Compatible: 2000/XP/Vista.

MC-9001 PHONE

Various layouts available

- Mode Com keyboard with net phone
- Support Skype, QQ, MSN
- Optional phone modes
- Keyboard with sound card
- Convenient volume knob
- Ultra-slim appearance, simple and fashion
- Multimedia Hotkeys
- Keystroke lifetime: over 10 million times
- USB interface

MC-5004

- Notebook keyboard structure,
- 5 multimedia Hotkeys,
- Super Slim: 14 mm,
- Multimedia: Play/Pause, Stop, Mute, Volume down, Volume up,
- Interface: USB;
- System Compatible: 2000/XP/Vista.



MC-6100G WI-FI

Various layouts available

- High-speed 2.4 GHz Wireless radio technology
- 34 strong office hotkeys
- Intelligent power-saving technology
- UV coated keycaps
- Multimedia keyboard with 5D optical mouse
- 800CPI resolution for mouse
- USB Mouse docking station with charger

MC-7001

Only English layout available
- Modern notebook keyboard structure !
- 19 multimedia Hotkeys
- Volume control knob
- Super Slim: 21 mm
- Multimedia: Media, Play/Pause, Previous track, Next track, Stop, Mute, Volume down, Volume up
- Internet: Web Stop, Backward, Forward, Favorites, Refresh, Search, Web, E-Mail
- Functions: Standby Mode, Calculator, My Computer
- Interface: USB or PS/2
- Colors: black, silver

MC-5002

Various layouts available
- Modern design – notebook alike
- 16 multimedia function hot keys
- Super slim design
- Multimedia functions: Media, Play/Pause, Previous, Next, Stop, Mute, Volume Up, Volume Down
- Internet functions: Stop, Back, Forward, Refresh, Find, Internet, E-Mail
- Interface: USB
- System requirements: Windows 98/ME/2000/XP

MC-9002

Various layouts available
- Convenient volume knob
- Multimedia hotkeys function
- New low profile keycaps
- Ultra-slim appearance, simple and fashion.
- 20 multimedia shortcut keys to control multimedia and internet function
- Interface: USB
- Keystroke lifetime: over 10 million times

MC-6001

Only English layout available
- Easy access to multimedia with 18 smart hot keys located in 3 zones with user - friendly function design
- Detachable palmrest for the comfort of your hands
- Internet: Web Stop, Backward, Forward, Favorites, Refresh, Search, Web, E-Mail
- Functions: Standby Mode, Calculator, My Computer
- Colors: black+silver, silver+black
- Interface: PS/2

MC-7000

Only English layout available
- Superior digital wireless technology
- Modern notebook keyboard structure!
- Optical Mouse of exceptional precision
- Super slim keyboard design
- 19 multimedia Hotkeys
- Volume control knob
- Rechargeable Mouse
- Interface: USB
- Functions: Standby Mode, Calculator, My Computer, Web browsing and E-Mail control

MC-6000

Only English layout available
- Superior digital wireless technology
- Modern notebook keyboard structure!
- Optical Mouse of exceptional precision
- Super slim keyboard design
- 20 multimedia Hotkeys
- Volume control knob
- Interface: USB
- Functions: Standby Mode, Calculator, My Computer, Web browsing and E-Mail control

MC-4000

Only English layout available
- 14 multimedia Hotkeys
- Interface: USB
- Effective work in the distance of: 1,8 m
- Fast access through Hotkeys

Low power consumption & longer battery life
- Compact Multimedia Keyboard compatible with any application
- Modern, technologically advanced optical mouse with resolution: 800 dpi
- Digital wireless technology

laptop bags

MODECOM has recently introduced an impressive collection of laptop bags, bagpacks and accessories for electronic devices.
To satisfy the demands of all the laptops users, MODECOM offers elegant ladies laptop bags, classically designed men bags, bagpacks and messenger type bags for active people and teenagers, camera cases, console cases, GPS and mobile phone pouches.

STREET
CAMERA CASE

- modern design
- material: nylon, black, slightly shimmering
- red details with MODECOM logo
- high functionality
- ergonomic handle
- strap used to place the case around the waist
- compartment for a reflex camera or a small camcorder:

a. 2 compartments which allow the compartment to be divided into two spaces
b. netting pocket

- buttoned and regulated shoulder strap
- pocket with a small netting pocket
- back pocket which allows to hide the strap
- two side pockets with small netting pockets

street series

STREET
COMPACT CAMERA CASE

- modern design
- material: nylon, black, slightly shimmering
- red detail with MODECOM logo
- high functionality
- special belt to be fasten on strap
- comfortable, regulated shoulder strap
- compartment for small camera: a. small netting pocket for MODECOM memocard
- front pocket

STREET
LAPTOP BAG

- modern design
- material: nylon, black, slightly shimmering
- red details with MODECOM logo
- high functionality
- comfortable shoulder strap
- ergonomic handle
- 15,4 laptop size
- laptop compartment: a. laptop pocket, b. files pocket, c. 2 pockets for mouse and power cord
- under the flap: a. pocket for documents or wallet, b. mobile pocket, c. 2 pen pockets, d. key holder
- small front pocket with pocket for tickets
- lateral netting mobile pocket
- back pocket

n-joy series

STREET
LAPTOP BAGPACK

- modern design
- material: nylon, black, slightly shimmering
- red details with MODECOM logo
- high functionality
- comfortable shoulder strap
- ergonomic handle
- 15,4 laptop size
- laptop compartment: a. laptop pocket, b. files pocket
- second compartment: a. 2 meshed pockets for mouse, power cord, cd's, b. files pocket
- 2 small front pockets: a. pocket for documents, b. mobile pocket, c. 2 pen pockets, d. key holder
- pocket for tickets
- 2 lateral pockets

STREET
HDD/GPS CASE

- modern design
- material: nylon, black, slightly shimmering
- red details with MODECOM logo
- high protection
- comfortable using
- HDD/GPS compartment: a. elastic strap inside holding HDD/GPS safe, b. small netting pocket for earphones and memo card

N-JOY
COMPACT CAMERA CASE

- modern, youthful design
- material: nylon, graphite, slightly shimmering
- floral motives
- red details with MODECOM logo
- high functionality
- special belt to be fasten on strap
- compartment for small camera
- front pocket with a small netting pocket for MODECOM MEMOCARD
- back pocket

N-Joy Series – cool, trendy and youthfully designed, perfectly merges functionality with taste and comfort valued by the users. Finished with red rubber zippers and red rubber tab logo, branded MODECOM.
All is flawlessly fulfilled by feminine pattern in front This design distinguishes N-Joy from other brands on the market.

N-JOY
CAMERA CASE

- modern, youthful design
- material: nylon, graphite, slightly shimmering
- floral motives
- red details with MODECOM logo
- high functionality
- buttoned and regulated shoulder strap
- compartment for a reflex camera or a small camcorder

a. netting pocket with zipper
b. small pocket
c. compartment which allow it to be divided into two spaces and protect the camera
d. small pocket for MODECOM MEMOCARD

- front pocket
- back pocket

N-JOY
LAPTOP BAG

- modern, youthful design
- material: nylon, graphite, slightly shimmering
- red details with MODECOM logo
- floral motives
- high functionality
- comfortable shoulder strap
- ergonomic handle
- 15,4 laptop size
- laptop compartment

a. laptop pocket
b. netting pocket
c. files pocket
d. 2 lateral netting pocket

GENEVA

- Material: Nylon
- Notebook size up to 15,4 inch
- Main compartment (removable) with zipper for laptop
- 1 internal pocket with zipper
- 2 small internal pockets
- 1 compartment for mobile phone or mp3 player, stationery compartments
- At the backside, 1 external pocket with zipper
- Comfortable straps for shoulder

N-JOY
LAPTOP BAGPACK

- modern, youthful design
- material: nylon, graphite, slightly shimmering
- floral motives
- red details with MODECOM logo
- high functionality
- comfortable shoulder straps
- ergonomic handle
- comfortable wearing
- 15,4 laptop size
- laptop compartment

a. laptop pocket
- front pocket with smaller pockets

a. 2 pockets for mouse and power cord
b. pocket for documents
c. mobile pocket
d. pocket for tickets
e. 2 pen pockets

- small front pocket
- side pocket for mobile or mp3

GRENADA

- Material: Nylon
- Notebook size up to 15,4 inch
- Main compartment with zipper for laptop
- 1 internal pocket with zipper
- 2 small internal pockets
- 1 compartment for mobile phone or mp3 player
- At the backside , 1 external pocket with zipper
- Comfortable straps for shoulder
- Small pads at the bottom

CARRIER

- Material: Nylon
- Notebook size: 15,4”
- flap covered main compartment for laptop
- 1 big pocket with zipper
- 1 smaller pocket with zipper
- 1 pocket
- 3 stationary pockets
- 1 business cards pockets
- 1 mobile pocket
- the flap – one pocket with zipper

ENDO

- Material: PVC
- Notebook size: 15,4”
- 1 front pocket with strap
- main compartment with zipper
- 1 strap to secure the laptop inside
- 1 divider for mouse and adapter
- 1 pocket
- 3 stationary pockets
- 1 flap covered pocket at front for business cards pockets

KENYA

- Material: Nylon+koskin
- Laptop size: 15,4”
- 1 front pockets, inside
- 1 pocket
- 1 mobile pocket
- 3 stationary pockets
- 1 main compartmet, with zipper
- 1 stiffened laptop compartment
- 2 pockets for mouse and power adapter
- 2 meshed pockets for small items
- 1 back pocket

CORRADO

- Material: PVC
- Notebook size: 15,4”
- 1 front pocked with zipper
- main compartment with zipper
- 1 strap to secure the laptop inside
- 1 divider for mouse and adapter
- 1 pocket
- 3 stationary pockets
- 1 flap covered pocket at front for business cards pockets

ENZO

- Material: PVC
- Notebook size: 15,4”
- 1 front pocket with strap
- main compartment with zipper
- 1 strap to secure the laptop inside
- 1 divider for mouse and adapter
- 1 pocket
- 3 stationary pockets
- 1 flap covered pocket at front for business cards pockets

NERO

- Material: PVC
- Notebook size: 15,4”
- 1 front pocket
- 1 pocket
- 1 mobile pocket
- 3 stationary pockets
- main compartment with zipper
- strap to secure laptop inside
- 1 pocket for mouse and power adapter
- 1 back pocket
- 2compartments for files

HIT

- Material: Nylon
- Notebook size: 15,4”

CONGA

- Material: Nylon
- Laptop size: 15,4”
- 1 main laptop compartment – stiffened with special material inside, to prevent bag from deformations
- 1 front pocket

TRAFFIC

- Material: PVC
- Notebook size: 15,4”
- 1 flap covered compartment for laptop
- 1 zipper pocket
- 1 pocket
- 4 stationary pockets

YORK

- Material: Nylon
- Netbook size: 10”
- 1 outer pocket at front with zipper
- 1 compartment for netbook, with outer flap, inside:
- 2 inner pockets
- 1 mobile phone pocket
- 1 pocket at the backside with zipper

MC-HANDY

- Material: PVC
- Size: iPhone©

MC-PSP® CASE

- Material: Koskin
- Size: PSP
- 1 compartment for PSP
- 1 zipped compartment for UMD discs
- 1 belt with braces

MC-PSP®
MOTIVE CASE

- Material: PVC
- Size: PSP
- 1 compartment for PSP
- 1 zipped compartment for UMD discs
- 1 belt with braces

MC-NAVI CASE 4.3"

- Material: PVC
- GPS size: 4,3 inch
- 1 compartment for GPS with magnet closing
- underneath the cover – 2 memory cards pockets, just perfect for MODECOM SD cards

MC-NAVI CASE 5"

- Material: Koskin
- GPS size: 5 inch
- 1 compartment for GPS with magnet closing
- underneath the cover – 2 memory cards pockets, just perfect for MODECOM SD cards

CARRY

LAPTOP SLEEVE
- modern design
- material: nylon, black
- red detail with MODECOM logo
- comfortable using
- high protection
- one 15,4" laptop compartment

PORTLAND

- Material: Nylon,
- Notebook size up to 15,4 inch,
- 4 Internal small pockets,
- 1 small pocket for mobile phone,
- 4 compartments for stationery key chain,
- 1 big pocket for documents,
- 1 pocket at the backside

PARIS

- Material: Nylon
- Notebook size up to 15,4 inch
- 2 compartments with zipper, 1 for laptop , other for some items like mouse etc...
- 1 internal pocket with zipper
- 1 small internal pocket
- 1 big internal pocket
- 1 compartment for mobile phone or mp3 player, stationery compartments
- At the front , 1 external pocket with magnet brace
- Comfortable straps for shoulder

TEXAS

- Material: Nylon,
- Notebook size: 15,4,
- 1 big internal pocket for files, documents etc,
- 2 inner pockets,
- 1 inner small pocket,
- 1 big pocket in front with zipper

VEGAS

- Material: Nylon,
- Notebook size up to 15,4 inch,
- 2 internal pockets,
- 4 small pockets for documunets,
- 1 big pocket with zipper,
- 1 big pocket with zipper at front of the bag

CITY

- Material: Nylon
- Notebook size up to 15,4 inch
- Main compartment with lock zippers, with buckle belts and internal pocket
- External pockets with zipper at the front

MC-8001B

Notebook carry bag

- Material: Leather
- Product size: 39×6.5×30 cm
- Computer size: up to 15.4"
- 2 internal pockets
- 2 external pockets
- Arm belt

MC-8004B

Notebook carry bag

- Material: PU
- Product size: 39.5×6.5×30 cm
- Computer size: up to 15.4"
- 3 internal pockets
- 2 external pockets
- Arm belt

printing supplies

This is one of the most reliable and well known of all our product groups. We sell high quality toners and ink cartridges at most competitive prices. All of printing supplies can reach the highest standards required by the newest printers. Quality and page yield meet the highest standards set by market leaders.

HP LASERJET PRINT CARTRIDGE

Type	Compatible with	For use in	Color	Printing A4/5%
MC-C092A	HP C4092A	HP1100/ 1100A/ 1100ASE/ 1100AXI/ 3200 Canon LBP-800 / Canon LBP-810 / Canon LBP-820 / Canon LBP-1120	BLACK	2500
MC-C115A	HP C7115A	HP 1000w/ 1005w/ 1200/ 1220/ 3300/ 3320MFP/ 3330MFP/ 3380, HP LaserJet 1200n/ 3300 mfp/ 3320n mfp	BLACK	2500
MC-Q436A	HP CB436A	HP LaserJet P1505 (CB412A), P1505n (CB413A), M1120 MFP (CB537A), M1120n MFP (CC459A), M1522n MFP (CC372A), M1522nf MFP (CB534A)	BLACK	2000
MC-Q553A	HP-Q7553A	HP LaserJet P2014/P2015/P2015/P2015d/P2015dn/P2015n/P2015x/M2727 MFP	BLACK	3000
MC-Q612A	HP Q2612A	HP LaserJet M1005 MFP/ 1010/ 1012/ 1015/ 1018/ 1022n/ 3015/ 3020/ 3030/ 3050z/ 1020/ 1022, HP 3050/ 3052/ 3055	BLACK	2000
MC-Q613A	HP Q2613A	HP1300/ 1300N	BLACK	2500
MC-Q624A	HP Q2624A	HP1150/ 1150N	BLACK	2500
MC-Q949A	HP Q5949A	HP1160/ 1320/ 1320N/ LaserJet 1320tn/ 3390/ 3392	BLACK	2500
MC-Q511A	HP Q511A	HP 2400/ 2410/ 2420/ 2420D/ 2420N/ 2420DN/ 2420DTN/ 2430N/ LaserJet 2420d/ 2430dtn/ 2430tn	BLACK	2500

SAMSUNG LASERJET PRINT CARTRIDGE

Type	For use in	Color	Printing A4/5%
MC-250S	ML-2250/ 2250M/ 2251/ 2252/ 2252W	BLACK	2500
MC-610/010S	ML-1610/ 2010; Dell 1100; Xerox Phaser 3117	BLACK	2500

CANON CARTRIDGE

Type	Compatible with	For use in	Color	Capacity
MC 3B	BCI-3BK	CANON BJC 3000/3100/6000/6100/6200/ 6200 Photo 6500 CANON BJF 300/600/S450/ i 550/550x /560 /6100/ 6500/ 850/ 860 /865 / MultiPass C 100/ 755/ F30/ F50/ F60/ F80/ PIXMA iP4000R/ iP5000/ MP750/ MP780/ S 400/ 400SP/ 400x/ 450/ 4500/ 500/ 520/ 520x/ 530/ 530D/ 600/ 630/ 6300/ 630N/ 750/ SmartBase MP700 Photo/ MP730 Photo/ MPC400/ MPC600F/	BLACK	26 ml
MC 3C	BCI-3C	BJC 3000SP/ 6200 Photo/ i550/ 550x/ 560/ 850/ 860/ 865/ 6100/ 6500/ S 400/ 400SP/ 400x/ 500/ 520/ 520x/ 530/ 530D/ 630/ 630N/ 750/ 4500/ 6300/ PIXMA: iP3000/ iP4000/ iP4000R/ iP5000/ MP750/ MP760/ MP780/ MultiPass C 100/ 755/ F30/ F50/ F60/ F80/ SmartBase: MP700 Photo/ MP730 Photo/ MPC400/ MPC600F	CYAN	13 ml
MC-3M	BCI-3M	BJC 3000SP/ 6200 Photo/ i550/ 550x/ 560/ 850/ 860/ 865/ 6100/ 6500/ S 400/ 400SP/ 400x/ 500/ 520/ 520x/ 530/ 530D/ 630/ 630N/ 750/ 4500/ 6300/ PIXMA: iP3000/ iP4000/ iP4000R/ iP5000/ MP750/ MP760/ MP780/ MultiPass C 100/ 755/ F30/ F50/ F60/ F80/ SmartBase: MP700 Photo/ MP730 Photo/ MPC400/ MPC600F	MAGENTA	13 ml
MC 3Y	BCI-3Y	BJC 3000SP/ 6200 Photo/ i550/ 550x/ 560/ 850/ 860/ 865/ 6100/ 6500/ S 400/ 400SP/ 400x/ 500/ 520/ 520x/ 530/ 530D/ 630/ 630N/ 750/ 4500/ 6300/ PIXMA: iP3000/ iP4000/ iP4000R/ iP5000/ MP750/ MP760/ MP780/ MultiPass C 100/ 755/ F30/ F50/ F60/ F80/ SmartBase: MP700 Photo/ MP730 Photo/ MPC400/ MPC600F	YELLOW	13 ml
MC-5BK		PIXMA iP3300/ iP3500/ iP4200/iP4300/ iP4500/ iP5200/ iP5200R/iP5300/ iX 4000/ iX 5000/MP500/ MP510/ MP520/MP530/ MP600/ MP600R/ MP610/MP800/ MP800R/ MP810/ MP830/MP960/ MP970/ MX 700/ MX 850	BLACK	27ml
MC 6B	BCI-6B	Canon BJC-8200/S800/S820/S820D/S830D/S900/S9000/i990/i9950/i9900	BLACK	13 ml
MC 6C	BCI-6C		CYAN	13 ml
MC 6M	BCI-6M		MAGENTA	13 ml
MC 6Y	BCI-6Y		YELLOW	13 ml
MC 8B	CLI-8BK	PIXMA iP3500, iP4200, iP4300, iP4500, iP5200, iP5200R, iP5300, iP6000D, iP 6600D, iP 6700D, MP500, MP520, MP530, MP600, MP600R, MP610, MP800, MP800R, MP810, MP830, MP950, MP970; pro9000	BLACK	13 ml
MC 8C	CLI-8C	PIXMA iP3300, iP3500, iP4200, iP4300, iP4500, iP5200, iP5200R, iP5300, iP6000D, iP 6600D, iP 6700D; MP500, MP510, MP520, MP530, MP600, MP600R, MP610, MP800, MP800R, MP810, MP830, MP950, MP970; MX700, iX4000, iX5000; pro9000	CYAN	13 ml
MC 8M	CLI-8M		MAGENTA	13 ml
MC 8Y	CLI-8Y		YELLOW	13 ml

Type	Compatible with	For use in	Color	Capacity
MC 21B	BCI-21B	Apple Color Stylewriter 2400/2500	BLACK	10 ml
MC 21C	BCI-21C	Canon BJC-400J/4200SP/4250/4304/4310/4310SP/4550/455J/4650SP/5100/BJC-2000/ BJC-2010/BJC-2100/ BJC-2100SP/ BJC-2110/BJC-2115/ BJC-2120/ BJC-2125/410J/455J,MultiPASS C20/C30/C50/C530/C545/C560/C635/C2500/C3000/C3500/C50/C5000/C530/C545/C5500/C555/C560/C635/C70/C75/C80/UF-344/2000/2100/4000/4100/4200/4300/Photo 4400/4550/4650/5000/ 5100/5500/4304 Photo/S100/S100SP/Panasonic KXF1600 Panafax UF-344/ Fax B 180C/ 210C/ 215C/ 230C	COLOR	3×5.5 ml
MC 24C	BCI-24C	Canon Bubble Jet i 250/320/350/450/455/470D/475/Seria MultiPass C F20/PIXMA MP110, MP130/S 200x/330/330 Photo/ SmartBase MP360/ MP370/MP390/MPC190/MPC200	COLOR	3×4.7 ml
MC 24B	BCI-24BK	Canon S200/ S300/ S330/ i250/ i255/ i320/ i350/ i355/ i450/ i455/ i470D/ i475D/ MultiPASS F10/ F20/ MP110/ MP130/ MP360/ MP370/ MP390/ MPC190/ MPC200 Photo/ PIXMA iP1000/ iP1500/ iP2000	BLACK	9 ml

HP CARTRIDGE

Type	Compatible with	For use in	Color	Capacity
MC-336	C9045B	HP Officejet 6310 (Q8061B), HP Photosmart 2575 (Q7215B), HP Photosmart 2710 (Q5552B), HP PSC 1510 (Q5880B)	BLACK	6ml
MC-338	8765	HP Photosmart 8150 (Q3399B) / 8450 (Q3388B) / Pro B8350 (Q8492B) / 8450gp Photo Printer (Q3485B) / 8750 (Q5747B) / 2575 (Q7215B) / 2610 (Q5542B) / 2710 (Q5552B), HP Deskjet Pro K7100 (CB041B) / 9800 (C8165B) / 9800d (C8166B) / 460c (C8150A) / 460cb (C8151A) / 460wbt (C8153A) / 6540 (C8964B) / 5740 (C9016B) / 6540 (C8963B) / 6620 (C9034B) / 6840 (C9031B), HP Officejet H470 (CB026A) / H470b (CB027A) / H470wbt (CB028A) / Pro K7100 (CB041B) / 6210 (Q5801B) / 7210 (Q5560B) / 7310 (Q5562B) / 7410 (Q5569B), HP PSC 1510 (Q5880B) / 1610 (Q5587B) / 2355 (Q5789B) / 2355p (Q5793B)	BLACK	13 ml
MC-342	C9045B	HP Officejet 6310 (Q8061B), HP Photosmart 2575 (Q7215B), HP PSC 1510 (Q5880B),	COLOR	10ml
MC-344	C9363	HP Deskjet 5940 (C9017B) / 9800 (C8165B) / Deskjet 9800d (C8166B) / 6540 (C8964B) / 460c (C8150A) / 460cb (C8151A) / 460wbt (C8153A) / 5740 (C9016B) / 6540 (C8963B) / 6620 (C9034B) / 6840 (C9031B) / 6940 (C8970B) / 6980 (C8969B) HP Officejet Pro K7100 (CB041B) / H470 (CB026A) / H470b (CB027A) / H470wbt (CB028A) / 6210 (Q5801B) / 7210 (Q5560B) / 7310 (Q5562B) / 7410 (Q5569B), HP Photosmart 325 (Q3414B) / 375 (Q3419B) / 8150 (Q3399B) / 8450 (Q3388B) / 8050 (Q6351B) / Pro B8350 (Q8492B) / D5160 (Q7091B) / 8450gp Photo Printer (Q3485B) / Pro B8353 Photo Printer (Q8492C) / 475 (Q7011B) / 428 (Q7080B) / 8750 (Q5747B) / 2575 (Q7215B) / 2610 (Q5542B) / 2710 (Q5552B), HP PSC 1610 / PSC 2355 / HP PSC 2355p	COLOR	15ml
MC-351	C9351A	HP DeskJet 3910 /3915 /3920 /3930 /3930v/3940 /3940v /D1360/ D2300/ D2330/D2360 /D2460 (CB611A)/ F2180 (CB596A)/ F300/ F310/ F325/ F335/ F340/ F350/F370/ F375/ F380/ F390/ F4100/F4180 (CB584A)/ HP PSC 1400 /1401 /1402 /1403 /1406 /1408/1410 /1410v /1410xi /1415 /1417/ HP Officejet 4300/ 4311/ 4314/ 4315 / 4315v/ 4315xi/ 4355 /5610/ HP Fax 1250	BLACK	14 ml
MC-352	C9352A	HP DeskJet 3910 /3915 /3920 /3930 /3930v /3940 /3940v /D1360 /D2300 /D2330 /D2360 /D2460(CB611A)/F2180(CB596A) /F310 / F325 /F335 /F340 /F350/F370 /F375 /F380 /F390 /F4180 (CB584A)/ HP DeskJet D 1320/ 1330/ 1360/ 2300/ 2360/ HP DeskJet F 310/ 325/ 335/ 340/ 350/ 380/ 390/ 394/ HP PSC 1400 /1401 /1402 /1403 /1406/1408 /1410 /1410v /1410xi /1415 /1417/ HP Officejet 4300 /4311 /4314 /4315v /4315 /4315xi/4355 /4355 (Q8091A) /5605 /5609 /5610 /5610v/5600 /5610xi /5615/ HP Fax 1250	COLOR	14 ml
MC 629	51629 A	HP DeskJet 600/670/672/680/682/690/692/694/695/697 / HP DeskWriter 600/660/672/680/682/690/692/693/694 / HP OfficeJet 500/520/570/580/590/600/610/630/635/700/710/720/725 / Apple Color StyleWriter 4100/4500 / HP Fax 910/920 / HP PSC 370/380	BLACK	40ml
MC-363B		HP Photosmart D6160/ D7160/ D7260/ D7360/ D7460/C5180/ C6180/ C6280/ C7180/ C7280/ C8180/ 3210v/3310xi/ 8230	BLACK	20ml
MC-363C		HP Photosmart D6160/ D7160/ D7260/ D7360/ D7460/C5180/ C6180/ C6280/ C7180/ C7280/ C8180/ 3210v/3310xi/ 8230	CYAN	8,5ml
MC-363M		HP Photosmart D6160/ D7160/ D7260/ D7360/ D7460/C5180/ C6180/ C6280/ C7180/ C7280/ C8180/ 3210v/3310xi/ 8230	MAGENTA	7ml
MC-363Y		HP Photosmart D6160/ D7160/ D7260/ D7360/ D7460/C5180/ C6180/ C6280/ C7180/ C7280/ C8180/ 3210v/3310xi/ 8230	YELLOW	11,5ml
MC-363LC		HP Photosmart D6160/ D7160/ D7260/ D7360/ D7460/C5180/ C6180/ C6280/ C7180/ C7280/ C8180/ 3210v/3310xi/ 8230	LIGHT CYAN	10,5ml
MC-363LM		HP Photosmart D6160/ D7160/ D7260/ D7360/ D7460/C5180/ C6180/ C6280/ C7180/ C7280/ C8180/ 3210v/3310xi/ 8230	LIGHT MAGENTA	10,5ml
MC 649	51649 A	DeskJet 350C, 350cbi, 600, 600C, 610C, 610CL, 612C, 630C, 632C, 640C, 642C, 648C, 656C, 656cvr, 660C, 660Cse, 670C, 670TV, 672C, 680C, 682C, 690C, 691C, 692C, 693C, 694C, 695C, 695Cci, 697C, DeskWriter: 600, 660, 660C, 680, 694C OfficeJet: 500, 520, 570, 580, 590, 600, 610, 630, 635, 700, 710, 720 Series Printe/Scanner/Copier: 300, 370,380 Apollo: P-2100U/2150U/2200/2250	COLOR	25ml

Type	Compatible with	For use in	Color	Capacity
MC 645	51645 A	DESKJET 710C, 712C, 720C, 722C, 820C, 820CSE, 820CXI, 830C, 832C, 850C, 850CXI, 855C, 855CSE, 870C, 870CSE, 870CXI, 880C, 882C, 890C, 890CSE, 890CXI, 895CSE, 895CXI, 930C, 930PHOTO, 932C, 935C, 950, 950C, 952C, 955C, 960C, 960CXI, 960CSE, 970C, 970CSE, 970CXI, 980CXI, 990CXI, 995C, 1000C, 1000CSE, 1000CXI, 1100C, 1100CSE, 1100CXI, 1120C, 1120CSE, 1120CXI, 1125C, 1220C, 1220CPS, 1220CXI, 1180C, 1600C, 1600CM, 1600CN, 6122, 9300 DESIGNJET: 700, 750C, 750C PLUS, 755CM OFFICEJET: R40XI, R45, R60, R65, R80, T45, T65XI, G55XI, G85XI, G95, K60, K80 OFFICEJET PRO: 1150, 1150C, 1170, 1175 SERIES PHOTOSMART PRINTER: P1000, P1100, P1100XI, 1115, 1215, 1218XI, 1115, 1315, 1215, 1215VM COLOR COPIER: 110, 120, 140, 145, 150, 155, 160, 170, 180, 210, 210LX, 260, 270, 280, 290, COPYJET, COPYJET M	BLACK	40ml
MC 578	6578 D	DESKJET 920C, 920CXI, 920CVR, 930C, 930CM, 930PHOTO, 932C, 935C, 940C, 940CVR, 948C, 950C, 952C, 955C, 960C, 960CXI, 960CSE, 970C, 970CXI, 970CSE, 980CXI, 990CSE, 990CXI, 995C, 1220C, 1220CPS, 1220CSE, 1220CXI, 1180C, 3820, 6122, 9300, PROFESSIONAL SERIES OFFICEJET: G55, G85, G85XI, G95, K60, K60XI, K80, K80XI, V40, V40XI, 5110 PSC: 750, 750XI, 950 PHOTOSMART PRINTER: P1000, P1100, P1100XI, 1115, 1215, 1215VM, 1218, 1218XI, 1315 COLORCOPIER: 180, 190, 280, 290	COLOR	24ml
MC 615	6615 D	DeskJet 810C, 812C, 815C, 825C, 825cvr, 840C, 841C, 842C, 845C, 920C, 920Cxi, 920Cvr, 940C, 940Cvr, 940Cxi, 940Cw, 948C, 3820. OfficeJet: V30, V40, V45, 5110 Copier: 500 Series PSC: 500, 700, 750, 900, 950	BLACK	40ml
MC 656	HP C6656A	HP DeskJet : 450 / 450cbi / 450ci / 450wbt / 5150 / 5151 / 5160 / 5550 / 5551 / 5650 / 5650w / 5652 / 5655 / 5850 / 9650 / 9670 / 9680; Photosmart : 2400 / 2405 / 2410 / 2410v / 2410xi / 2420 / 2450 / 2500 / 2510 / 2510xi / 2550 / 7150 / 7200 / 7260 / 7260v / 7260w / 7268 / 7345 / 7350 / 7400 / 7450 / 7450v / 7450xi / 7550 / 7600 / 7655 / 7660 / 7665 / 7700 / 7755 / 7760 / 7760v / 7760w / 7762 / 7762w / 7900 / 7960 / 7960v / 7960w; PSC : 1110 / 1110xi / 1110v / 1118 / 1200 / 1205 / 1209 / 1210 / 1210xi / 1210v / 1215 / 1300 / 1311 / 1312 / 1315 / 1317 / 1318 / 1340 / 1345 / 1350 / 1350xi / 1350v / 1355 /2105 / 2108 / 2110 / 2110xi / 2110v / 2115 / 2150 / 2170 / 2171 / 2175 / 2175xi / 2175v / 2210 / 2210xi /2210v / 2310 / 2405 / 2410 / 2410xi / 2410v / 2420 / 2450 / 2510 / 2510xi / 2550; Officejet : 4105 / 4105z / 4110 / 4110v / 4110xi / 4115 / 4210 / 4211 / 4212 / 4215 / 4215xi / 4215v / 4219 / 4251 / 4252 / 4255 / 4259 / 5505 / 5508 / 5510 / 5510v / 5510xi / 5515 / 5605 / 5610 / 6105 / 6110 / 6110v / 6110xi / 6150	BLACK	19ml
MC 614	C6614 A	DESKJET 610C, 610CL, 612C, 630C, 632C, 640C, 642C, 648C, 656C, 656CVR SERIES; APOLLO P-2100U / 2150U / 2200 / 2250 FAX 925 SERIES	BLACK	40ml
MC 657	HP C6657A	HP DeskJet : 450 / 450cbi / 450ci / 450wbt / 5150 / 5151 / 5160 / 5550 / 5551 / 5650 / 5650w / 5652 / 5655 / 5850 / 9650 / 9670 / 9680; Photosmart : 2400 / 2405 / 2410 / 2410v / 2410xi / 2420 / 2450 / 2500 / 2510 / 2510xi / 2550 / 7150 / 7200 / 7260 / 7260v / 7260w / 7268 / 7345 / 7350 / 7400 / 7450 / 7450v / 7450xi / 7550 / 7600 / 7655 / 7660 / 7665 / 7700 / 7755 / 7760 / 7760v / 7760w / 7762 / 7762w / 7900 / 7960 / 7960v / 7960w; PSC : 1110 / 1110xi / 1110v / 1118 / 1200 / 1205 / 1209 / 1210 / 1210xi / 1210v / 1215 / 1300 / 1311 / 1312 / 1315 / 1317 / 1318 / 1340 / 1345 / 1350 / 1350xi / 1350v / 1355 /2105 / 2108 / 2110 / 2110xi / 2110v / 2115 / 2150 / 2170 / 2171 / 2175 / 2175xi / 2175v / 2210 / 2210xi /2210v / 2310 / 2405 / 2410 / 2410xi / 2410v / 2420 / 2450 / 2510 / 2510xi / 2550; Officejet : 4105 / 4105z /4110 / 4110v / 4110xi / 4115 / 4210 / 4211 / 4212 / 4215 / 4215xi / 4215v / 4219 / 4251 / 4252 / 4255 /4259 / 5505 / 5508 / 5510 / 5510v / 5510xi / 5515 / 5605 / 5610 / 6105 / 6110 / 6110v / 6110xi / 6150	COLOR	15ml
MC-658	HP C6658	FOTO HP DeskJet 450 / 450cbi / 450ci / 450wbt / D2360 / D2460 / F2180 / F380 / F4180 / 3620 / 3645 / 3647 / 3650 / 3651 / 3653 / 3740 / 3743 / 3745 / 3748 / 3840 / 3843 / 3845 / 3845xi / 3847 / 3658 / 3668 / 3848 / 5168 / 5150 / 5150c / 5151 / 5160 / 5168 / 5500 / 5550 / 5551 / 5552 / 5650 / 5650v / 5650w / 5652 / 5655 / 5850 / 9650 / 9670 / 9680/ HP Photosmart 2400 / 2405 / 2410 / 2410v / 2410xi / 2420 / 2450 / 2500 / 2510 / 2510xi / 2550 / 7150 / 7200 / 7260 / 7260v / 7260w / 7268 / 7345 / 7350 / 7400 / 7450 / 7450v / 7450xi / 7458 /7459 / 7550 / 7600 / 7655 / 7660 / 7665 / 7700 / 7755 / 7760 / 7760v / 7760w / 7762 / 7762w / 7900 / 7960 / 7960v / 7960w/ HP PSC 1300 / 1311 / 1312 / 1315 / 1315xi / 1315v / 1317 / 1318 / 1340 / 1345 / 1350 / 1350xi / 1350v / 1355 / 2105 / 2108 / 2110 / 2110xi / 2110v / 2115 / 2150 / 2170 / 2171 / 2175 / 2175xi / 2175v / 2179 / 2210 / 2210xi / 2210v / 2310 / 2405 / 2410 / 2410xi / 2410v / 2420 / 2510 / 2510xi / 2550/ HP Officejet 4210 / 4211 / 4212 / 4215 / 4215xi / 4215v / 4219 / 4251 / 4252 / 4255 / 4259 / 5605 / 5608 / 5609 / 5610 / 5610v / 5610xi / 5615 / 6105 / 6110 / 6110v / 6110xi / 6150/ HP PSC 1310/ HP Digital Copier 410	PHOTO	14 ml
MC 727	HP C8727A	HP Deskjet : 3320 / 3322 / 3323 / 3420 / 3425 / 3450 / 3520 / 3535 / 3550 / 3620 / 3645 / 3647 / 3650 / 3653 / 3740 / 3745 / 3840 / 3845 / 3845ix(C9039A) North America / 3847(C9040A) North America / 5160 /5550 / 5551 / 5650 / 5850; Photosmart : 7150 / 7350 / 7550; PSC : 1110xi / 1110v / 1118 / 1200 / 1205 /1210 / 1210xi / 1210v / 1215 / 1300 / 1311 / 1312 / 1315 / 1317 / 1318 / 1340 / 1345 / 1350 / 1350xi /1350v / 1355 / 2105 / 2110xi / 2110v / 2115 / 2170 / 2171 / 2175 / 2175xi / 2175v / 2210 / 2210xi / 2210v /2310 / 2410	BLACK	15ml
MC 728	HP C8728A	HP DeskJet : 3320 / 3322 / 3323 / 3325 / 3420 / 3425 / 3450 / 3520 / 3535 / 3550 / 3620 / 3650 / 3740 / 3745 / 3840 / 3845 / 3845ix(C9039A) North America / 3847(C9040A) North America / 5160 / 5550 / 5551 /5650 / 5850; Photosmart : 7150 / 7350 / 7550; PSC : 1110xi / 1110v / 1118 / 1209 / 1210 / 1210xi / 1210v /1216 / 1217 / 1218 / 1219 / 1300 / 1311 / 1312 / 1315 / 1317 / 1318 / 1340 / 1345 / 1350 / 1350xi / 1350v /1355 / 2105 / 2110 / 2110xi / 2110v / 2115 / 2150 / 2170 / 2171 / 2175 / 2175xi / 2175v / 2210 / 2210xi	COLOR	15ml

LEXMARK CARTRIDGE

Type	Compatible with	For use in	Color	Capacity
MC-970	12A1970 (70)	Lexmark Color Jetprinter 3200/5000/5700/5770/ 7000/7000V/7200/7200V/Z11/Z31/Z42/Z43/Z45 Series/Z51/Z52/Z53 Series/Z54/Z82 Optra Color 40/45 All-in-one X63/X73/X83/X84/ Lexmark X80/X70/ X85/X125/ X125pro AIO/ X4250/ F4270	BLACK	30ml
MC-980	12A1980	Lexmark Color Jetprinter Z11/Z31/3200/5000/5700/5770/7000/7000V,7200/7200V Optra Color 40/40N/45/45N Compaq A900/C3-1000/IJ300/IJ700/IJ750/IJ900 Kodak Pe	COLOR	27ml
MC-050	17G0050	Lexmark Color Jetprinter 3100/Z12/Z22/Z32/ Z703 /Z705/ Z715 / P700/ P706 /P707/P3120/P3150 Compaq IJ600 Lenovo/ 5110/6110	BLACK	30ml
MC-060	17G0060	Lexmark Color Jetprinter Z12/Z22/Z32 Compaq IJ600	COLOR	27ml
MC-016	10N0016	Lexmark Color Jetprinter i3/Z13/Z23/Z24/Z25/Z33/Z34/Z35/Z515/Z600 Series(Z601/Z603.Z605.Z615)/All-In-One X74/X75/X83/X125/ X1100 Series(X1130/X1140/X1150/X1185)/X2250 Dell 720/A92	BLACK	13ml
MC-026	10N0026	Lexmark Color Jetprinter i3/Z13/Z23/Z24/Z25/Z33/Z34/Z35/Z515/Z600 Series(Z601/Z603.Z605.Z615)/All-In-One X74/X75/X83/X125/ X1100 Series(X1130/X1140/X1150/X1185)/X2250 Dell 720/A92	COLOR	15ml

EPSON CARTRIDGE

Type	Compatible with	For use in	Color	Capacity
MC 089	S020089	STYLUS COLOR 1160 /400 / 440/ 460/ 600/ 640 / 660/ 670/ 740/ 760/ 800/ 860 /1520/ 2500 MJ830C/830C/830CS/930C/6000C/	COLOR	3×13 ml
MC 093	S020093	STYLUS 400/500/600/670C/MJ 810C/830C/830CS/2000C/STYLUS PHOTO 700/710/EX/EX2, IP-100/PT-100/PM-680C/700C/750C/2000C	BLACK	16 ml
MC 187	S020187	STYLUS 440/460/640/660/670; PHOTO 750/1200/720/EX3	BLACK	16 ml
MC 189	S020189	STYLUS COLOR 740/740I/760/860/1160/1160 H/SCAN 2000/2500/2500PRO	BLACK	25 ml
MC 191	S020191	STYLUS 440/460/640/660/670/720/740/740I/760/860/1160/1160H/SCAN 2000/2500/2500PRO	COLOR	3×13 ml
MC 008	T008	STYLUS 780/790/870/875/890/895/9151270/ 1280/1290	COLOR	CM 9 ml + 3x10 ml
MC 013	T013	EPSON STYLUS COLOR 480/480SX/480SXU/C20/C20UX/C40/C40UX/580	BLACK	13.5 ml
MC 014	T014	EPSON STYLUS COLOR 480/480SX/480SXU/C20/C20UX/C40/C40UX/580	COLOR	3×10.5 ml
MC 036	T036	STYLUS C42SX/C42UX	BLACK	12 ml
MC 037	T037		COLOR	3×10.5ml
MC 038	T038	STYLUS C41/C41SX/C41UX/C43/C43SX/C43UX/ C45/ CX1500	BLACK	12 ml
MC 039	T039	STYLUS C41/C41SX/C41UX/C43UX/C43SX/C45	COLOR	3×10.5ml
MC 040	T040	EPSON STYLUS C62/CX 3200	C	12 ml
MC 041	T041		COLOR	3×10.5ml
MC 441B	T441B	Epson Stylus C64, C66, C66 Photo, C84 Standard, C86, CX3600, CX3650, CX6400, CX6600	BLACK	18ml
MC 442C	T442C		CYAN	18ml
MC 443M	T443M		MAGENTA	18ml
MC 444Y	T444Y		YELLOW	18ml
MC 461B	T0461	Stylus: C63, C83, C65, C85, CX3500, CX4500, CX6300, CX6500	BLACK	18ml
MC 472C	T0472	Stylus: C63, C83, C65, C85, CX3500, CX4500, CX6300, CX6500	CYAN	13 ml
MC 473M	T0473	Stylus: C63, C83, C65, C85, CX3500, CX4500, CX6300, CX6500	MAGENTA	13 ml
MC 474Y	T0474	Stylus: C63, C83, C65, C85, CX3500, CX4500, CX6300, CX6500	YELLOW	13 ml
MC 481B	T481B	EPSON Stylus R200/R220/R300/R300M/R320/ R340/RX500/RX600/RX620	BLACK	18ml
MC 482C	T482C		CYAN	18ml
MC 483M	T483M		MAGENTA	18ml
MC 484Y	T484Y		YELLOW	18ml
MC 485LC	T485PC		LIGHT CYAN	18ml
MC 486LM	T486PM		LIGHT MAGENTA	18ml
MC 611HB	T0611HB	EPSON Stylus D68/ D68PE/ D88/ D88PE/ DX3800/DX3850/ DX4200/ DX4250/DX4800/ DX4850	BLACK	20ml
MC 612C	T0612C		CYAN	18ml
MC 613M	T0613M		MAGENTA	18ml
MC 614Y	T0614Y		YELLOW	18ml
MC 711B	C13T071140	Epson Stylus: D78/D92/D120/DX4000/DX4050/DX4400/DX5000/DX5050/DX6000/DX6050/DX7000F/DX7400/DX7450/ DX84000/DX8450	BLACK	14ml

Type	Compatible with	For use in	Color	Capacity
MC 712C	C13T071340	Epson Stylus: D78/D92/D120/DX4000/DX4050/DX4400/DX5000/DX5050/DX6000/DX6050/DX7000F/DX7400/DX7450/ DX84000/DX8450	CYAN	14ml
MC 713M	C13T071340	Epson Stylus: D78/D92/D120/DX4000/DX4050/DX4400/DX5000/DX5050/DX6000/DX6050/DX7000F/DX7400/DX7450/ DX84000/DX8450	MAGENTA	14ml
MC 714Y	C13T071440	Epson Stylus: D78/D92/D120/DX4000/DX4050/DX4400/DX5000/DX5050/DX6000/DX6050/DX7000F/DX7400/DX7450/ DX84000/DX8450	YELLOW	14ml
MC-801B		Stylus Photo R265/ R285/ R360/ RX560/ RX585/ RX685	BLACK	12ml
MC-802C		Stylus Photo R265/ R285/ R360/ RX560/ RX585/ RX685	CYAN	12ml
MC-803M		Stylus Photo R265/ R285/ R360/ RX560/ RX585/ RX685	MAGENTA	12ml
MC-804Y		Stylus Photo R265/ R285/ R360/ RX560/ RX585/ RX685	YELLOW	12ml
MC-805LC		Stylus Photo R265/ R285/ R360/ RX560/ RX585/ RX685	LIGHT CYAN	12ml
MC-806LM		Stylus Photo R265/ R285/ R360/ RX560/ RX585/ RX685	LIGHT MAGENTA	12ml

BROTHER CARTRIDGE

Type	For use in	Color	Capacity
MC-BR900B	Brother DCP-110C/ 115C/ 310CN/ 340CW/ MFC-210C/ 215C /410CN/ 420CN/ 425CN/ 620CN/ 640CW/ 3240/ 3240C/ 3340CN/ 5440CN/ 5840CN/ FAX1835C/ 1840C/ 1940C/ 2440C	BLACK	23,5ml
MC-BR900C	Brother DCP-110C/ 115C/ 310CN/ 340CW/ MFC-210C/ 215C /410CN/ 420CN/ 425CN/ 620CN/ 640CW/ 3240/ 3240C/ 3340CN/ 5440CN/ 5840CN/ FAX1835C/ 1840C/ 1940C/ 2440C	CYAN	15ml
MC-BR900M	Brother DCP-110C/ 115C/ 310CN/ 340CW/ MFC-210C/ 215C /410CN/ 420CN/ 425CN/ 620CN/ 640CW/ 3240/ 3240C/ 3340CN/ 5440CN/ 5840CN/ FAX1835C/ 1840C/ 1940C/ 2440C	MAGENTA	15ml
MC-BR900Y	Brother DCP-110C/ 115C/ 310CN/ 340CW/ MFC-210C/ 215C /410CN/ 420CN/ 425CN/ 620CN/ 640CW/ 3240/ 3240C/ 3340CN/ 5440CN/ 5840CN/ FAX1835C/ 1840C/ 1940C/ 2440C	YELLOW	15ml
MC-BR1000B	Brother MFC-235C/ 240C/ 260C/ 440CN/ 465CN/ 665CW/ 845CW/ 3360C/ 5460CN/ 5860CN/ Brother DCP-130C/ 135C/ 150C/ 330C/ 350C/ 540CN/ 560CN/ 750CW/ 770CW/ Brother FAX-1360/ 1860C/ 1960C/ 2480C/ 2580C	BLACK	19ml
MC-BR1000C	Brother MFC-235C/ 240C/ 260C/ 440CN/ 465CN/ 665CW/ 845CW/ 3360C/ 5460CN/ 5860CN/ Brother DCP-130C/ 135C/ 150C/ 330C/ 350C/ 540CN/ 560CN/ 750CW/ 770CW/ Brother FAX-1360/ 1860C/ 1960C/ 2480C/ 2580C	CYAN	9ml
MC-BR1000M	Brother MFC-235C/ 240C/ 260C/ 440CN/ 465CN/ 665CW/ 845CW/ 3360C/ 5460CN/ 5860CN/ Brother DCP-130C/ 135C/ 150C/ 330C/ 350C/ 540CN/ 560CN/ 750CW/ 770CW/ Brother FAX-1360/ 1860C/ 1960C/ 2480C/ 2580C	MAGENTA	9ml
MC-BR1000Y	Brother MFC-235C/ 240C/ 260C/ 440CN/ 465CN/ 665CW/ 845CW/ 3360C/ 5460CN/ 5860CN/ Brother DCP-130C/ 135C/ 150C/ 330C/ 350C/ 540CN/ 560CN/ 750CW/ 770CW/ Brother FAX-1360/ 1860C/ 1960C/ 2480C/ 2580C	YELLOW	9ml
MC-BR1100/ BR980B	Brother DCP-145C/165C/ MFC-250C/290C, DCP-385C/585CW/6690CW/ MFC-5490CN/5890CN/6490CW	BLACK	17ml
MC-BR1100/ BR980C	Brother DCP-145C/165C/ MFC-250C/290C, DCP-385C/585CW/6690CW/ MFC-5490CN/5890CN/6490CW	CYAN	12ml
MC-BR1100/ BR980Y	Brother DCP-145C/165C/ MFC-250C/290C DCP-385C/585CW/6690CW/ MFC-5490CN 5890CN/6490CW	YELLOW	12ml
MC-BR1100/ BR980M	Brother DCP-145C/165C/ MFC-250C/290C DCP-385C/585CW/6690CW/ MFC-5490CN 5890CN/6490CW	MAGENTA	12ml

All rights reserved. All other trademarks are the property of their respective owners.

- Oh no, the battery is dead! How am I going to explain my boss I didn't deal with that. I'm landing in 5 hours. I won't make it.



- Oh my word! Why is it dead just now?

- What??? Battery? Nooo!!! I didn't manage to save it.

Recharge your device quickly



PORTABLE POWER

...and finish what you have to do.

more on page nr 3